
Bulwark
FR
WE ARE
YOUR FR.
2025 PRODUCT CATALOG
SINCE '71

MORE PEOPLE ARM THEMSELVES WITH BULWARK® THAN ANY OTHER FR BRAND.

We are Bulwark. The world's leading flame-resistant (FR) apparel brand. And the relentless protectors of the people who power the world. From outfitting you with the finest, most advanced, most intuitively designed FR products ever made, to surrounding you with the industry's premier FR education programs and consultative services with over 50 years of frontline experience, we are your total FR solution. So when you see our triangle on your left, trust you've done everything right. Because with Bulwark, you are armed – literally, and figuratively – with **the world's best.**


Bulwark
FR CAT 2 | 2112
SINCE '71


Bulwark®
FR



TABLE OF CONTENTS

7 FABRIC GUIDE
8 ICON LEGEND
10 iQ SERIES®
32 CANVAS COLLECTION
40 HI-VISIBILITY & RAINGEAR
52 INSECT SHIELD®
58 SHIRTS
78 PANTS
88 BIBS & COVERALLS
104 OUTERWEAR
128 WORK & LAB COATS
132 WOMEN'S
156 ACCESSORIES
162 CUSTOMIZATION
164 HOW TO MEASURE
166 FIT CHARTS
178 ADDITIONAL INFO
179 PRODUCT INDEX

SINCE '71


Bulwark
FR CAT 2 | 2112
Bulwark
FR
Bulwark
FR CAT 1 | 2110
Bulwark
FR CAT 2 | 2112
Bulwark
FR CAT 2 | 2112

FABRIC GUIDE

Use our fabric guide to help you select the optimal Bulwark® fabric for any situation. Our comprehensive range of industry-leading options guarantees a perfect fit for a wide variety of industrial applications.

iQ SERIES®

iQ Series® products shift our collective mindset from the garment to the wearer and are designed to solve real-world problems. From the yarn blending to the fabric finishing, this product is created by a team of professionals with a hands-on approach. iQ products are created from blends of high performance fibers incorporated into superior fabrics. They are available in a variety of weights and are designed to achieve multiple industry standards.

EXCEL FR®

100% COTTON. 100% COMFORT.
100% FLAME-RESISTANT.

EXCEL FR® cotton garments offer unbeatable protection for foundries, flame cutting and welding, as well as electrical utilities and the chemical, oil, gas and petrochemical industries. All EXCEL FR® cotton apparel is permanently treated to guarantee flame resistance for the life of the garment.

EXCEL FR® COMFORTOUCH®

COTTON'S COMFORT. NYLON'S DURABILITY.

This practical 88% Cotton/12% Nylon blend provides long-lasting protection for nearly all work environments. Ideal applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR® ComforTouch® garment is engineered to provide flame resistance for the life of the garment.

NOMEX® ESSENTIAL

LIGHTWEIGHT. BREATHABLE.
INHERENTLY FLAME-RESISTANT.

DuPont Nomex® Essential (93% Nomex® Aramid/ 5% Kevlar® Aramid/2% Anti-Static Fiber) garments are extremely durable. Nomex® Essential apparel is preferred by workers in petrochemical and refinery environments and makes a great choice for electric and gas utility workers.

COOLTOUCH® 2

DURABLE. WICKABLE. BLENDED INHERENT.

CoolTouch® 2 garments provide flame-resistant protection in a lightweight blended fabric (48% Modacrylic/37% Lyocell/15% Para-Aramid and 45% Modacrylic/35% Lyocell/15% Polyamide/ 5% Para-Aramid). The result – unbeatable softness coupled with lasting durability and available in CAT1 and CAT2 protection.

HI-VISIBILITY FR

FLAME-RESISTANT. COMFORTABLE. COMPLIANT.

Bulwark® offers garments designed to provide additional wearer safety during periods of limited visibility or in the often complex and varying backgrounds found in many occupations such as traffic control, construction and utility work along roadways and equipment operation.

HI-VISIBILITY RAINWEAR

BE SAFE. BE DRY. BE SEEN.

Flame-resistant rainwear from Bulwark® provides an effective barrier against rain and wind. Extra confidence comes from knowing these garments will not melt, drip or burn when exposed to an electrical arc or flash fire.

MOLTEN METAL® PROTECTION

SHED MOLTEN ALUMINUM. CAST OFF CRYOLITE.

Because of its unique ability to shed molten aluminum as well as cryolite, specialized Molten Metal protective garments are used extensively throughout the aluminum casting industry. When laundered properly, our products are flame-resistant for the life of the garment, so their ability to protect will never be compromised.

ELECTRICAL SWITCHING CLOTHING

PROTECTION FOR MAXIMUM EXPOSURE.

For employees installing, maintaining or repairing high-voltage electrical systems, Bulwark's 40 cal/cm^2 electrical switching coat, bib and hood with face shield provide protection from extreme electrical arc risks.

ICON LEGEND

Throughout the catalog, you will notice different icons in the product descriptions for our garments. The icons help you quickly determine new products, CAT protection and NFPA® 2112 compliance.

NEW!

NEW PRODUCT FOR 2025

ARC RATINGS

Short sleeved FR shirts are not intended to be worn as single layer protection because they do not fully cover potentially exposed areas as completely as possible.

1 CAT

CATEGORY 1 PROTECTION
Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 4 cal/cm^2.

2 CAT

CATEGORY 2 PROTECTION
Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 8 cal/cm^2.

3 CAT

CATEGORY 3 PROTECTION
Arc-rated FR long-sleeve shirt and FR pants or FR coverall, arc flash suit, balaclavas etc. selected so that the system arc rating meets a required minimum Arc Rating of 25 cal/cm^2.

4 CAT

CATEGORY 4 PROTECTION
Arc-rated FR long-sleeve shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets a required minimum Arc Rating of 40 cal/cm^2. CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.

100

CP 100 PROTECTION
Garments that provide repellency for a low level of liquid chemical splash protection. They repel many but not all acids, corrosives, oxidizers and polar organic solvents[1], that typically have medium to high surface tension and medium to high polarity. Their application is only for inadvertent liquid chemical-splash of small volumes at atmospheric pressure. Garments that provide repellency for a low level of liquid chemical splash protection.

UL CERTIFIED

NFPA® 2112 COMPLIANT
Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by UL to meet the requirements of NFPA® 2112 Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire. NFPA® 2113 Standard on Selection, Care, Use, and Maintenance of Flame-Resistant Garments for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.

WASH CODES

Do not use bleach, hydrogen peroxide, starch or fabric softeners on any Bulwark garment. Please visit bulwark.com for complete laundry instructions.

IL-HS

INDUSTRIAL LAUNDER - HEAVY SOIL: This method of laundering is commonly used to remove heavy soil with a combination of higher water temperature (160° F max) and harsher chemistry. pH should be held to 11.5 max. More aggressive wash formulas may be necessary to remove heavy soils but may result in accelerated color loss, deterioration in performance of retroreflective trim and overall reduced garment service life.

IL-LS

INDUSTRIAL LAUNDER - LIGHT SOIL: This less aggressive (industrial) laundering process is commonly used on uniforms which are lightly soiled or made of fabrics that are not designed to withstand higher wash temperatures or harsher chemistry. In a typical light soil formula, water temperatures are usually held to a maximum of 140° F and pH to 10.5 max.

HW

HOME WASH: A laundering process normally defined as washing in a residential type top- or front-loading unit followed by tumble drying. Detergents used in this process are formulated for home use and are readily available on the consumer market.

[1]See bulwark.com/labs-and-material-handling.html for more information including a technical brief with a list of chemicals that have been tested.


25
NOT ENERGIZE


FR

Bulwark® FR

iQ SERIES®

The industry's ongoing call for smarter FR deserves a revolutionary response. The Bulwark® iQ Series®. Every iQ garment is the product of a new way of thinking: Design to solve real world FR problems uncovered from first-hand, real-wear insights. Then employ the latest scientific advancements and fabric technologies to bring those designs to life. The future of FR is here. And it's brighter than ever before.

SINCE '71



iQ SERIES®
COMFORT COLLECTION

Let's be honest, "comfort" isn't exactly the first word that comes to mind when most people in the safety industry think of FR. The iQ Series® Comfort Collection set out to change that, by combining revolutionary design features with lightweight and breathable fabrics to make this collection the most comfortable FR on the market. Because the job isn't always comfortable, but that doesn't mean your FR workwear can't be.

VIEW THE COLLECTION: BULWARK.COM

QS24RB



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The men's shirt features larger chest pockets for more storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS24 - Men's (Reg) S-6XL. (Long) S-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QS23NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) XS-3XL. Fit Chart LFC-51.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QS50EV



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Enhanced Visibility Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²)
50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)

EV NE

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

QS50DG



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

QS51NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-51.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

QS52LB



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restriciting your movement or coming untucked. The protection level is easily visible on the sleeve with exterior CAT2 and 2112 labels.

QS52 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Light Grey (LG)

KH LB LG

QS53KH



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-41.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)

KH

QS28RD



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, two large chest pockets with snap closure flaps that provide convenient storage, sewn-in pencil stall, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked.

QS28 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

QS27RD



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, vertical zipper pocket on left chest for secure storage, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked. Feminine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

QS26NV



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar®/ 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QS25RB



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a women's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar®/ 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QS26RE



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Enhanced Visibility Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar®/ 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)

NE RE

QT40KH



12 CAL SINGLE LAYER
INCREASED DURABILITY

iQ SERIES® MEN'S COMFORT PLUS KNIT LONG SLEEVE HENLEY

NFPA® 2112 Compliant

The iQ Series® Comfort Plus Knit Henleys are the next-generation of FR workwear. The lightweight, moisture-wicking material is the first of its kind—available exclusively with Westex G2™ fabrics by Milliken®. Underarm gussets allow you to stretch and reach, without your shirt riding up, while ribbing in the cuffs keeps your sleeves securely in place. The 4-button placket and contrast stitching give this henley a contemporary and stylish look, with the FR protection you expect from Bulwark. CAT2 and 2112 labels easily visible on the sleeve.

QT40 - Men's (Reg) S-4XL. (Long) L-3XL.
Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 7.5 oz. ($255\ g/m^2$)
70% Cotton / 30% Polyester

Protection: Arc Rating E_{BT} 12 calories/cm^2

Colors: Charcoal (CH), Khaki (KH)

CH KH

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

iQ SERIES®
LIGHTWEIGHT COMFORT PANT

QP17RB

QP16NV



WIDE/LONG BELT LOOPS TO FIT LARGER BELTS 1

JEAN STYLE CUT 2

FULL CROTCH GUSSET 3

CARGO POCKET WITH SNAP CLOSURE FOR SECURE STORAGE 4

DOUBLE UTILITY POCKET FOR QUICK ACCESS TO STORAGE 5

DOUBLE ARTICULATED KNEES FOR EASE OF MOVEMENT AND INCREASED MOBILITY 6

CAT IL-LS HW

iQ SERIES® MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Designed to keep you cool and in command all day long. This modern, straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left gives you a leg up on your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP16 - Men's 28-56 Even. Fit Chart MFC-127.
QP17 - Women's 0-24 Even. Fit Chart LFC-69.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²)
93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV RD RB

iQ SERIES®
LIGHTWEIGHT COMFORT PANT

QP18NV

QP19NV



1. **TRIPLE NEEDLE OUT AND INSEAM FOR EXTRA DURABILITY**
2. **CARGO POCKET WITH SNAP CLOSURE FOR SECURE STORAGE**
3. **JEAN STYLE CUT**
4. **UTILITY POCKET ON RIGHT LEG FOR QUICK ACCESS TO STORAGE**
5. **REINFORCED BACK PATCH POCKETS AND CARGO POCKET**

2 CAT | II-LS | HW

iQ SERIES® MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark® iQ Series® Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durabilty.

QP18 - Men's 28-56 Even. Fit Chart MFC-116.
QP19 - Women's 0-24 Even. Fit Chart LFC-69.

Fabric: Exclusively with TenCate Evolv™ 6.5 oz. 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm²

Color: Navy (NV)

NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.



QP14NE



CAT 2 | II-LS | HW

iQ SERIES®
MEN'S LIGHTWEIGHT COMFORT ENHANCED VISIBILITY PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA® 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even.
Fit Chart 127.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NE)

NE

QP14BK



CAT 2 | II-HS | II-LS | HW

iQ SERIES®
MEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA® 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even.
Fit Chart MFC-127.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BK), Navy (NV)

BK **NV**

QP15NV



CAT 2 | II-HS | II-LS | HW

iQ SERIES®
WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

QP15 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

SINCE '71



iQ SERIES®
MOBILITY COLLECTION

The iQ Series® Mobility Collection is Bulwark® innovation in action. We studied the way you move, reach, bend and lift to create an all new line of FR workwear that not only keeps you protected from thermal hazards, but makes your workday a little easier, too. With gussets and pleats in all the right places, garments in the Mobility Collection won't ride up or restrict your range of motion. So you can go about your work with complete comfort and compliance.

VIEW THE COLLECTION: BULWARK.COM

iQ SERIES®
MOBILITY COVERALL



1. **LIGHTWEIGHT 5.5 OZ. FABRIC WITH CAT2 PROTECTION**
2. **PATENTED MOBILITY SLEEVE PLEAT FOR EASE IN RAISING ARMS AND REACHING**
3. **IMPROVED FIT IN LOWER TORSO FOR EASE IN SQUATTING**
4. **SIDE LEG PATCH POCKET FOR STORAGE**
5. **ELASTIC BACK WAIST AND DEEP-PLEATED BACK FOR INCREASED MOBILITY**

CAT | IL-LS | HW

iQ SERIES® MEN'S & WOMEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.
QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG | NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

SINCE '71

QC20EV



QC2XRB



QC3XRB



iQ SERIES® MEN'S ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)

EV NE

iQ SERIES® MEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2-½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC2X - Men's (Reg) 34-60 Evens. (Long) 34-60 Evens. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm² **CSA Z96-22 Class 1, Level FR**

Color: Royal Blue (RB) **Stocked in Canada only.**

RB

iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2-½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC3X - Women's (Reg) S-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm² **CSA Z96-22 Class 1, Level FR**

Color: Royal Blue (RB) **Stocked in Canada only.**

RB

QC4XOR



NEW!

iQ SERIES® MEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC4X - Men's (Reg) 34-60 Evens. (Long) 34-60 Evens. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-2022 Class 3, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

QC5XOR



NEW!

iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC5X - Women's (Reg) S-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-2022 Class 3, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

QC6XDG



NEW!

iQ SERIES® MEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2-½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC6X - Men's (Reg) 34-60 Evens. (Long) 34-60 Evens. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid/25% Lyocell/25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96 Class 1, Level FR

Color: Dark Grey (DG)
Stocked in Canada only.

DG

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

QC24RB



CAT 1 | II-LS | HW

iQ SERIES® MEN'S LIGHTWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Lightweight Mobility Coverall was built for comfort and functionality. The 4.5 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features special design features in the lower torso that gives the wearer room to squat. It also features a patented sleeve pleat that allows the arm full range of motion and the mobility design gives plenty of room for movement. The full design comes together to help you move, bend and work in comfort.

QC24 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar®/ 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QC23NV



QC22RD



QC22RE



iQ SERIES® WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Women's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC23 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV RD RB

iQ SERIES® MEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV RD RB

iQ SERIES® MEN'S MIDWEIGHT ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Enhanced Visibility Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)

NE RE

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.



iQ SERIES®
ENDURANCE COLLECTION

FR workwear won't pass muster if it doesn't last. The iQ Series® Endurance Collection is a line of durable FR without the tradeoffs and compromises traditionally associated with durability. iQ's revolutionary dual elemental protection penetrates FR chemistry deep into the fiber of the fabric without adding weight, while the addition of polyester improves strength and overall durability, so you can be confident your FR protection will last every bit as long as you do.

VIEW THE COLLECTION: BULWARK.COM

iQ SERIES®
ENDURANCE WORK SHIRT

QS40NV



QS41KH



iQ SERIES® MEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

This CAT2 iQ Series® work shirt was designed especially for hard work, with comfort and durability built to last. Mobility features like underarm gussets make moving, bending and working a little bit easier.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-158.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)

GY KH LB NV

iQ SERIES® WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2™ fabrics by Milliken®. Full underarm gussets allow you to move freely, while a sleeve pocket gives you easy access to storage. And because it's part of the iQ Series® Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL.
Fit Chart LFC-51.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)

GY KH NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

QS40GE



2 CAT | IL-LS | HW

iQ SERIES® MEN'S ENDURANCE ENHANCED VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

Enhanced visibility meets enhanced versatility with this popular Bulwark® iQ Series® Work Shirt. Full underarm gussets give you a greater range of reach while remaining tucked. Plus, a gas monitor pocket at the front shoulders, reinforced front pockets and a patch chest pocket with an integrated pencil stall give you convenient, safe storage options in every direction. Triple-needle seams add that extra degree of durability that ensure every Bulwark® iQ Series® Endurance offering lives up to its name.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GE), Navy (NE)

GE | NE

iQ SERIES®
ENDURANCE WORK PANT

QP10NV

QP11NV



1. **EXTENSION BELT LOOP FOR WIDER BELTS**
2. **REINFORCED POCKETS FOR ADDED DURABILITY**
3. **CROTCH GUSSET FOR MOBILITY**
4. **TRIPLE NEEDLE SEAMS FOR EXTRA DURABILITY**

CAT 2 | II-HS | II-LS | HW

iQ SERIES® MEN'S & WOMEN'S ENDURANCE WORK PANT

NFPA® 2112 Compliant

Built to work. Built to last. Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day comfort and performance, without the fatigue or the fraying. Plus, reinforced pocket bags double down on durability. And looking for greater function, without the malfunction? This work pant features an ultra-convenient concealed button, pocket-in-pocket and utility loop that serves you well while you do the work. Last but not least, this pant features a crotch gusset for greater freedom of movement.

QP10 - Men's (Reg) 28-36, 38-56 Even.
Fit Chart MFC-127.

QP11 - Women's (Reg) 0-24 Even.
Fit Chart LFC-74.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.


Bulwark
FR



Bulwark FR

CANVAS COLLECTION

Bulwark's Canvas Collection blends the classic look and unbeatable durability of brown duck workwear with Bulwark's proven FR protection. Reinforced with double fabric in heavy wear areas and triple-needle topstitching throughout, this collection is designed to withstand maximum wear and tear, without sacrificing style or safety.

SINCE '71

LLS8BD



NOT INTENDED TO BE WORN AS A SINGLE LAYER

CAT II-HS II-LS HW

BROWN DUCK VEST JACKET LINER

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLS8 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



HLH4BD

CAT II-HS II-LS HW

BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

VLS2BD



HW

SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{BT} 33 calories/cm²

Color: Brown Duck (BD)

BD

JLB6BD



IL-HS IL-LS HW

BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLB6 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

JLC6BD



IL-HS IL-LS HW

BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back accommodates safety harness. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

SINCE '71

JLH6BD



INSULATED BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLH6 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

JLH4BD



BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

BLF6BD



BLF8BD



BLN4BD



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLF6 - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz. (440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16 calories/cm²

Color: Brown Duck (BD)

BD

DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD NV

BROWN DUCK DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

If you're looking for the ultimate in rugged durability, warmth, and FR protection, then this heavyweight brown duck bib overall is made for you. With CAT4 protection, insulation throughout and side vent openings, these overalls will keep you warm and comfortable while they protect you.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

BLN6BD



HW

INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers. Elasticized shoulder straps with non-conductive adjustable hardware. Quilted lining from waist to ankle. Leg zippers to thigh.

BLN6 - Men's 32-44 Even.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 6 oz. (203 g/m²) 88% Cotton / 12% Nylon

Insulation: 5.5 oz. (186 g/m²) 44% Cotton / 6.5% Nylon / 46% Modacrylic / 3.5% Polyester

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

PLJ6KH



II-HS II-LS HW

LOOSE FIT MIDWEIGHT CANVAS JEAN

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJ6 - Men's 30-36, 38-54 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 8.5 oz. (290 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

PLJ8BD



II-HS II-LS HW

DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJ8 - Men's 28-50 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

SINCE '71


BULWARK



Bulwark® FR

HI-VISIBILITY & RAINGEAR

Don't get left in the dark. When you need to be seen, you can count on Bulwark® FR's Hi-Visibility workwear. Flame-resistant, comfortable and compliant, our Hi-Visibility collection is designed to provide extra safety for FR environments with limited visibility or complex backgrounds like oil & gas extraction, oil & gas refining, mining, construction and utility work.

SINCE '71

S1B2HG



MEN'S HI-VISIBILITY COLORBLOCK DRESS SHIRT

NFPA® 2112 Compliant

This is the next generation of protection—FR and hi-visibility with a tailored, professional look and advanced features for comfort, plus CAT2 AR/FR protection and NFPA® 2112 compliancy. Color-blocked hi-vis upper half provides ANSI 107 compliancy, while grey lower half conceals dirt and stains.

S1B2 - Men's (Reg) M-5XL. (Long) M-5XL. Fit Chart MFC-240.

Fabric: 5.7 oz (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 8.2 calories/cm² **ANSI 107 Type R Class 3 Compliant**

Color: Hi-Vis Yellow/Heather Grey (HG)

HG

S1W2HV



MEN'S HI-VISIBILITY DRESS SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 FR/AR protection with ANSI/ISEA 107 Type R Class 3 compliancy and a professional workwear look. Two chest pockets with button flap closure provide secure storage. 2" reflective striping offers 360° visibility to keep you seen and safe.

S1W2 - Men's (Reg) M-4XL. (Long) M-5XL.
Fit Chart MFC-240.

Fabric: 5.7 oz (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 8.2 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow (HV)

HV

SLB4HG



HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant heat seal silver reflective striping. Banded, topstitched collar. Topstitched cuffs with button closure. Hemmed front with button closure. Tailored sleeve placket. Full underarm gussets. Color block shirt with hi-vis top half and grey bottom half to conceal dirt and stains. Napoleon pocket at left front with zipper closure, right front chest pocket with pencil stall.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG

SMW4HV



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant silver reflective striping. Two-piece, lined collar. Two chest pockets with button closures and sewn-in pencil stall. Button-front closure. Lined cuff with button closure.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SMB2HN



HI-VISIBILITY LIGHTWEIGHT COLORBLOCK LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Left chest pocket with pencil stall. Rib-knit collar and cuffs. Colorblocked to hide dirt and stains in key areas.

SMB2 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: (Yellow) Flame-resistant, 6.7 oz. (225 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid
(Navy) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/ cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Navy (HN)

HN

SML4HV



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE HENLEY

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Four-button henley placket. Left chest pocket with pencil stall. Full underarm gussets. Rib knit collar and cuffs.

SML4 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMK8HV



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" silver heat seal reflective trim. Full underarm gusset. Left chest pocket with pencil stall. Rib-knit collar and cuffs.

SMK8 - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm² **ANSI 107 Type R Class 3 Compliant**

Color: Yellow/Green (HV)

HV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SMH4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360˚ visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMZ4HV



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliancy, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMB4HG



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow.
*Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: (Hi-Vis Yellow) 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish. **(Grey)** 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)

HG

JMJ6HV



HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. DWR (Durable Water-Repellent) finish. Separating, heavy-duty, Nomex® taped brass zipper, fully covered with two-layer storm flap, concealed snap closure. Two-layer stand-up collar. Two-layer concealed snap cuff. Two large external patch pockets, with concealed snap secured flaps with hand warmers. One inside chest pocket. Deep-pleated action back. Fully-tunneled elasticized waistband. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2HVB and liners LNL8, LNS8 sold separately.

JMJ6 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

VMS4HV



HI-VISIBILITY INSULATED VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

Serious FR protection combined with high visibility and insulation to keep you extra warm in this CAT4 vest, with all the bells and whistles, so you can do your best work. ANSI 107 Type R Class 2 Compliant and water repellent, so you can stay seen, safe and dry while you work.

VMS4 - Men's (Reg) M-3XL. (Long) L-2XL.
Fit Chart MFC-17.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 14 oz. (405 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

VMV4HV



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

FR and high visibility get together in this CAT2, ANSI 107 Type R Class 2 compliant dual-hazard safety vest with hook-and-loop front closure and adjustable sides for a comfortable and safe fit.

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.
Fit Chart MFC-18.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

HI-VIS ICON LEGEND

HI-VIS ROADWAY TYPE R CLASS 2

Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 2 garments require the use of greater amounts of hi-visibility materials than Class 1 apparel, which help distinguish between a human and an inanimate object.

HI-VIS ROADWAY TYPE R CLASS 3

Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 3 garments mandate the greatest amount of hi-visibility material for workers in moving, complex backgrounds, including reflective striping on sleeves and pant legs (if present).

HI-VIS SUPPLEMENTAL CLASS E

Pants, bib overalls, shorts and gaiters meeting minimum area requirements for background material and retroreflective trim. Class E apparel, however, cannot be worn alone to provide adequate visibility of workers. When Class E items are worn with Performance Class 2 or Class 3 apparel, the overall classification of the ensemble is Performance Class 3.

CMD8HV



1. **ONE-PIECE, TOPSTITCHED, LAY-FLAT COLLAR**
2. **TWO, DOUBLE-NEEDLE TOPSTICHED PATCH CHEST POCKETS WITH FLAPS**
3. **TWO-WAY CONCEALED NOMEX® TAPED BRASS BREAK-AWAY ZIPPER**
4. **ANSI 107 TYPE R CLASS 3 COMPLIANT**
5. **360° VISIBILITY WITH FRONT & BACK 2" REFLECTIVE STRIPING**

HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. One-piece, topstitched, lay-flat collar. One-piece bi-swing action back. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper at neck. Concealed snap closure on sleeve cuff. Two, double-needle topstitched patch chest pockets with flaps and concealed snap closure. Two front swing pockets are topstitched and lined. Two patch hip pockets have single concealed snap closure. One sleeve pocket sewn to left bicep with pencil stall. Ruler pocket on right leg. Elastic waist inserts in back.

CMD8 - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

JXN4YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm²
ANSI 107 Type R, Class 3

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

BXN4YE



MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET

HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm²
ANSI/ISEA 107 Class E
(Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

JXN6YE



HI-VISIBILITY
FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1 ½" reflective striping. Tuck away roll-up hood.

JXN6 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant
(Type R Class 3 when worn with BXN6)


Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

BXN6YE



MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET

HI-VISIBILITY
FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN6 - Men's (Reg) S-6XL. Fit Chart MFC-42.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Class E Compliant
(Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.





Bulwark® FR

insect shield®

Those who work in the great outdoors know, there's one particularly pesky downside to all that fresh air: insects. That's why we're proud to offer our line of FR workwear using Insect Shield®. This technology is proven to effectively repel insects ranging from mosquitos to ticks and flies to chiggers, with protection that lasts through 50 home washes. So you can work pest-free and confidently compliant.

SINCE '71

QS50DI



2 CAT HW

iQ SERIES® MENS LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Comfort Woven Lightweight shirt with Insect Shield® is made exclusively with TenCate Evolv™ fabric. It features full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

QS51DI



2 CAT HW

iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Made exclusively from TenCate Evolv™ fabrics, this FR button-front shirt with Insect Shield® features mobility panels across the back and full arm gussets for increased movement and comfort.

QS51 - Women's (Reg) XS-3XL.
Fit Chart LFC-103.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

QS52BI



2 CAT HW

iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Comfort Woven Lightweight shirt with Insect Shield® is made exclusively with TenCate Evolv™ fabric. It features full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS52 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Light Blue (BI), Light Grey (GI), Khaki (KI)

BI GI KI

QS53KI



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

The newest advance in women's FR workwear. Workwear that's actually designed for a woman's body. Made exclusively from TenCate Evolv™ fabrics, this FR button-front shirt with Insect Shield® features mobility panels across the back and full arm gussets for increased movement and comfort.

QS53 - Women's (Reg) XS-3XL.
Fit Chart LFC-103.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KI)

KI

SMK8HI



MEN'S HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

This FR henley with Insect Shield® is designed to go from on-the-job to off-the-clock. This hi-vis henley gives you 360° visibility, comes in a Modacrylic blend that wicks moisture and breathes to keep you cool and comfortable even on hot days.

SMK8 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HI)

HI

ISLSCH



INSECT SHIELD® LIGHTWEIGHT SOCK

Insect Shield bug repellent socks keep biting insects like ticks and chiggers away from your feet, legs and ankles. Our men's socks have built in permethrin repellent technology that's proven to protect for up to 70 washings.

ISLS - Unisex (Reg) M-L.
Fit Chart MFC-102.

Fabric: 6 oz. (200 g/m²) 70% Viscose / 25% Polyester / 3% Rubber / 2% Spandex Elastane

Protection: Insect Shield. ***NOT FLAME-RESISTANT.***

Color: Charcoal (CH)

CH

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

QP14NI



2 CAT HW

iQ SERIES® MEN'S LIGHTWEIGHT COMFORT PANT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. This iQ Series® Lightweight Pant with Insect Shield® is stylishly designed to keep you cool and in command all day long. Designed with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even. Fit Chart MFC-127.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BI), Navy (NI)

BI NI

QP15NI



2 CAT HW

iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. This iQ Series® Lightweight Pant with Insect Shield® is stylishly designed for women. They will keep you cool and in command all day long.

QP15 - Women's 0-24 Even. Fit Chart LFC-69.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NI)

NI

PEJ8DI



2 CAT HW

MEN'S PRE-WASHED DENIM DUNGAREE WITH INSECT SHIELD®

NFPA® 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's 28-50 Even. Fit Chart MFC-118.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DI)

DI

PSJ4SI



2 CAT HW

MEN'S STRAIGHT FIT STRETCH JEAN WITH INSECT SHIELD®

NFPA® 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash and sanded fabric for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SI)

SI

QC21DI



QC20DI



2 CAT HW

iQ SERIES® WOMEN'S MOBILITY COVERALL WITH INSECT SHIELD®

NFPA® 2112 Compliant

The iQ Series® Women's Mobility Coverall with Insect Shield® was built for comfort. This premium coverall features a patent pending sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement.

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

2 CAT HW

iQ SERIES® MEN'S MOBILITY COVERALL WITH INSECT SHIELD®

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall with Insect Shield® was built for comfort, with fabric that feels light and smooth. The mobility design features all come together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.


MSA
Bulwark
Bulwark



Bulwark®
FR

SHIRTS

More styles. More colors. More protection. Bulwark's FR shirts come in every style from sporty polos to professional uniform shirts, and modern henleys to long-wearing tees. So you can be cool, comfortable, and compliant. All year long.

SINCE '71

SNS6RDB



SNAP-FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Red (RDB)*, Royal Blue (RB)
***Contact customer service for availability.**

NVB | RDB | RB

SES2TN



SNAP-FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight NFPA® 2112 compliant, CAT1 uniform shirt offers a tailored, professional look with two chest pockets and sewn-in pencil stall for storing tools and personal effects.

SES2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RB), Tan (TN)
***Contact customer service for availability.**

NVB | RB | TN

SNS2NV



SNAP-FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Light Blue (LBB)*, Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)
***Contact customer service for availability.**

LBB | NV | RD | RB | TN

SND2GB



4.5 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Tailored sleeve placket, topstitched cuffs and straight back yoke look sharp and professional while being protective.

SND2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Gulf Blue (GB), Navy (NV), Royal Blue (RB), Tan (TN)

GB NV RB TN

SMU4KH



5.8 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

Banded topstitched collar. Two chest pockets with button flap closures and sewn in pencil stall. Placket front with button closure. Tailored sleeve placket. Topstitched cuff with button closure.

SMU4 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-146.

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 6.5 calories/cm²

Color: Khaki (KH)

KH

SND6RB



6 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

Enjoy this classic uniform shirt made to withstand your work while providing CAT1 protection and NFPA® 2112 compliancy. It features a banded, topstitched collar as well as two chest pockets with button flap closures and sewn in pencil stall.

SND6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-156.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Royal Blue (RB)

RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SLU8NV



II-HS II-LS HW

6 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

This uniform shirt offers a tailored, professional look plus advanced features like full underarm gussets, for comfort and ease of movement with CAT2 protection.

SLU8 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-146.

Fabric: Flame-resistant, 6 oz. (205 g/m^2)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm^2

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)

GY KH LB NV OR

SMUCNV



MEN'S DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Banded, topstitched collar. Two chest pockets with flaps and button closure with sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SMUC - Men's (Reg) S-5XL. (Long) M-4XL.
Fit Chart MFC-245.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV).
Stocked in Canada only.

NV

SLDTGY



7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection and NFPA® 2112 compliant with 2" reflective striping for 360° visibility to keep you seen and safe.

SLDT - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)

GY KH LB NV

SLUCNV



7 OZ. DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

When your work shirt gets the enhanced vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. 360° visibility with front and back 2" flame-resistant yellow/silver/yellow reflective striping.

SLUC - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-245.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Navy (NV).
Stocked in Canada only.

NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.



HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

This is the next-generation of protection. FR and hi-visibility with a tailored, professional look and advanced features for comfort. Color-blocked hi-vis upper half provides ANSI/ISEA 107 Type R Class 3 compliancy, while grey lower half conceals dirt and stains.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG

SLCSOR



7 OZ. UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

An enhanced vis work shirt means you can skip the added vest. Think of this as your favorite FR work shirt combined with your enhanced vis vest, for fewer layers and greater mobility. 360° visibility with front and back 2" flame-resistant silver reflective striping.

SLCS - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-143.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). **Stocked in Canada only.**

OR

SLATOR



7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant

When your work shirt gets the hi-vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection with 2" reflective striping for 360° visibility to keep you seen and safe.

SLAT - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Orange (OR)

OR

SMU2KH



7 OZ. DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight dress uniform shirt offers a tailored, professional look with CAT2 protection and NFPA® 2112 compliance, plus underarm gussets for increased ease of movement.

SMU2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Khaki, Light Blue:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories / cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV)

KH LB NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SINCE '71

SLP2KH



HW

6.5 OZ. DRESS SHIRT

NFPA® 2112 Compliant

Looking to shake up your FR collection? This midweight dress shirt offers all the features you need in a professional work shirt, plus CAT2 protection and a stylish plaid pattern.

SLP2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-240.

Fabric: Flame-resistant, 6.5 oz (220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.5 calories/cm²

Color: Khaki (KH)

KH

SLU2SY



7 OZ. DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight uniform shirt gives a tailored look and offers features like full underarm gussets for improved comfort and performance with CAT2 protection.

SLU2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SY)

GY KH LB NV RB SY

SEG6LB



5.25 OZ. DRESS SHIRT

Banded, topstitched, button-down collar. One chest pocket with button closure and sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SEG6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-245.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Light Blue (LB)

LB

SLW2RBB



7 OZ. WORK SHIRT

NFPA® 2112 Compliant

This is the go-to work shirt with CAT2 protection to keep you compliant. Two chest pockets with button flap closures and sewn-in pencil stall.

SLW2 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*
***Contact customer service for availability.**

GY KH LB NV ORB RBB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SINCE '71

SWW2SY



UL 1 CAT | IL-HS | IL-LS | HW

WELDING WORK SHIRT

NFPA® 2112 Compliant

Two chest pockets with snap flap closures and sewn-in soapstone stall. Special gored sleeve opening. Square hemmed front with snap closure. Sleeve soapstone holder. Special application garment. Sleeves lined with TUFFWELD® fabric.

SWW2 - Men's (Reg) M-3XL.
Fit Chart MFC-233.

Shell: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Sleeve Lining: TUFFWELD® Flame-resistant, 8.5 oz. (300 g/m²)
60% FR Rayon / 40% Aramid

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Silver Grey (SY)

SY

SEW2KH



UL 1 CAT | IL-HS | IL-LS | HW

7 OZ. WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Two chest pockets with button flap closures and sewn-in pencil stall.

SEW2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Silver Grey (SY)

KH | LB | NV | SY

SMS2GY



UL 2 CAT | IL-LS | HW

CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-152.

Grey and Light Blue:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Grey (GY), Light Blue (LB), Navy (NV)

GY | LB | NV

SLS2NV



CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Concealed gripper closures.

SLS2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Light Blue (LB), Navy (NV)

LB NV

SMS6LB



ENHANCED VISIBILITY CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS6 - Men's (Reg) S-3XL. (Long) M-XXL.
Fit Chart MFC-152.

Light Blue:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Light Blue (LB), Navy (NV)

LB NV

SMW4HV



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 protection with ANSI/ISEA 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-182.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.





FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric allows it to stretch freely. Button-down collar keeps you looking crisp and sharp all day. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site. Red buttonhole stitching and embroidery on right sleeve placket leave no doubt you're armed with the very best.

STG2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-82.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²)
93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²


Colors: Blue Plaid (BP), Charcoal (CH), Navy (NV)

BP CH NV

LIGHTWEIGHT
STRETCH FABRIC
flexes with your body for added comfort and range of movement

REINFORCED
CHEST POCKETS
with button flaps allows for convenient storage

SIDE SEAM
GUSSETS
allows it to stretch freely without coming untucked



STG4CH



FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric and side seam gussets allows it to stretch freely without coming untucked. Two reinforced chest pockets with button flaps allows convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG4 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-246.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)

CH KH NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

STT4OR



CSA FLEX KNIT TEE

NFPA® 2112 Compliant

Lightweight stretch fabric that flexes with your body for added comfort and range of movement. 360° visibility with front and back segmented heat seal reflective striping

STT4 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). **Stocked in Canada only.**

OR

STL2CH



FLEX KNIT HENLEY

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.

STL2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Red (RD)

BK CH KH LB NV RD

STP2KH



FLEX KNIT POLO

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Lightweight stretch fabric that flexes with your body for added comfort and range of movement. Professional polo collar and sleeve pocket.

STP2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)

CH KH NV

SET8CH



SHORT SLEEVE T-SHIRT

NFPA® 2112 Compliant

Rib-knit crewneck collar. Hemmed sleeve. Single spade chest pocket. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

SET8 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²
Not intended to be worn as a single layer.

Colors: Charcoal (CH), Navy (NV)

CH NV

SMT2NV



LONG SLEEVE PERFORMANCE T-SHIRT

NFPA® 2112 Compliant

Rib knit collar and cuffs. Raglan sleeves. Full side seam gusset.

SMT2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 45% Modacrylic / 35% FR Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Colors: Grey (GY), Navy (NV)

GY NV

STT2NV



FLEX KNIT TEE

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.

STT2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV)

BK CH KH LB NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SINCE '71

SET2CH



LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

The most comfortable long sleeve T-shirt you'll ever wear—we even removed the tag for a non-itchy experience. This CAT2, NFPA® 2112 compliant tee features a heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment and rib knit cuffs.

SET2 - Men's (Reg) S-4XL. (Long) L-4XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Navy (NV)

CH NV

SEK2NV



MOCK TURTLENECK

NFPA® 2112 Compliant

Double-layer, rib knit collar sized to protect the neck. Rib knit cuffs.

SEK2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Color: Navy (NV)

NV

SMT6KH



NOT INTENDED TO BE WORN AS A SINGLE LAYER

SHORT SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar. Single chest pocket.

SMT6 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²
Not intended to be worn as a single layer.

Colors: Khaki (KH), Navy (NV)

KH NV

SMT8NV



LONG SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar and cuffs. Single chest pocket.

SMT8 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

SML2GY



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Raglan sleeves. Fabric is moisture wicking and breathable.

SML2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Grey and Navy:
Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid
Protection: Arc Rating E_{BT} 8.2 calories/cm²

Khaki:
Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)

GY KH NV

SML8KH



LONG SLEEVE LIGHTWEIGHT HENLEY

Rib knit collar and cuffs. Three button front placket. Single chest pocket.

SML8 - Men's (Reg) S-5XL. (Long) L-3XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Color: Khaki (KH)

KH

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SMP2KH



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs.
Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMP2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Grey and Navy:
Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Khaki:
Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% lyocell / 15% aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)

GY KH NV

SMP8NV



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs.
Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMP8 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²
Not intended to be worn as a single layer.

Colors: Grey (GY), Navy (NV)

GY NV

SEL2LB



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three button placket. Knit henley collar. Rib knit cuff. Single spade chest pocket.

SEL2 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7.5 oz. (212.6 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)

CH KH LB NV OR



MPS4KH



Contrast Mesh
Full Underarm Gussets

1 CAT HW

FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS4 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m^2) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm^2
Not intended to be worn as a single layer.

Colors: Grey (GY), Khaki (KH)

GY KH

MPS8GY



Contrast Mesh
Full Underarm Gussets

1 CAT HW

FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS8 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m^2) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm^2

Colors: Grey (GY), Khaki (KH)

GY KH

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.





Bulwark® FR

PANTS

Bulwark® FR pants and jeans are designed for work. With pockets in all the right places, fabric that moves with you, a modern fit and feel, plus all the FR protection you demand, our pants keep up with you, from work to play and back again.

SINCE ‘71

PEJ6SW



LOOSE FIT STONE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits below natural waist. Loose seat and thigh. Wider leg opening than classic fit. Soft pre-wash and stone-washed fabric for comfort and look.

PEJ6 - Men's 28, 30-36, 38-50 Even. Fit Chart MFC-119.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Stone Wash (SW)

SW

PEJMSD



2 CAT | IL-HS | IL-LS | HW

STRAIGHT FIT SANDED DENIM JEAN

Sits below natural waist. Straight thigh and leg opening. Fits over work boots. One-piece waistband with metal button closure (metal is not exposed to the skin). Soft pre-wash and sanded fabric for modern and comfortable look.

PEJM - Men's 28, 30-36, 38-50 Even. Fit Chart MFC-126.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Sanded Denim (SD)

SD

PSJ2SD



MID RISE BOOTCUT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Relaxed through waist, hip, and thigh. Bootcut leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash, sanded and tacked fabric.

PSJ2 - Men's 30, 32-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²)
94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

PSJ4SD



STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash and sanded fabric for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²)
94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

PSJ6SD



STRETCH DENIM DUNGAREE

NFPA® 2112 Compliant

Relaxed through waist, hip, and thigh to allow for easy movement. Increased durability with triple needle felled outter and seat seams. Five jean style pockets, ruler pocket on right leg and utility pocket on left leg adds extra storage. Utility loop on left hip and reinforced pockets to prevent holes.

PSJ6 - Men's 30, 32-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²)
94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

PEJ8DW



PRE-WASHED DENIM DUNGAREE

NFPA® 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's
(Blue Denim) 28-50 Even,
(Stone Wash) 30-50 Even.
Fit Chart MFC-118.

Fabric: Flame-resistant, 14.75 oz. (500 g/m^2) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm^2

Colors: Blue Denim (DW), Stone Wash (SW)

DW SW

PEJ2DD



RELAXED FIT DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. One-piece waistband with button closure.

PEJ2 - Men's 28, 30-36, 38-50 Even. Fit Chart MFC-118.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Dark Denim (DD)

DD

PEJ4DW



CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. Soft pre-wash for comfort and look.

PEJ4 - Men's 28, 30-36, 38-50 Even. Fit Chart MFC-118.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

PNJ8RB



LIGHTWEIGHT JEAN PANT

NFPA® 2112 Compliant

One-piece waistband with sew on button closure. Five jean-style pockets. Two-needle felled seam construction.

PNJ8 - Men's 28-50 Even. Fit Chart MFC-119.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 7.0 calories/cm²


Color: Royal Blue (RB)

RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SINCE '71

PLJ6KH



CAT I-HS I-LS HW

LOOSE FIT MIDWEIGHT CANVAS JEAN

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJ6 - Men's 30-36, 38-54 Even. Fit Chart MFC-119.

Fabric: Flame-resistant, 8.5 oz. (290 g/m^2) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm^2

Colors: Khaki (KH), Navy (NV)

KH NV

PLC2NV



PLJ8BD



2 CAT | II-HS | II-LS | HW

MIDWEIGHT CARGO PANT

NFPA® 2112 Compliant

Left and right cargo pocket have two snap closures.

PLC2 - Men's 28-36, 38-52 Even. Fit Chart MFC-116.

Fabric: Flame-resistant, 9 oz. (305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)

NV

2 CAT | II-HS | II-LS | HW

MIDWEIGHT DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJ8 - Men's 28-50 Even. Fit Chart MFC-119.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

PMU2KH



LIGHTWEIGHT CARGO PANT

NFPA® 2112 Compliant

Waistband with concealed hook and eye closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

PMU2 - Men's 28-36, 38-52 Even.
Fit Chart MFC-116.

Khaki:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

PNW2RB



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure. Two slack-style front pockets. Left hip pocket with button closure.

PNW2 - Men's 28-34, 36-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

PMW2NV



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PMW2 - Men's 28-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

PEW2KH



II-HS II-LS HW

MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PEW2 - Men's 28-34, 36-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11
calories/cm²

Colors: Charcoal (CH), Khaki (KH),
Navy (NV), Orange (ORB)*,
Royal Blue (RBB)*, Visual Green (VG)

***Contact customer service for availability.**

CH KH NV ORB RBB VG

PLW2RBB



II-HS II-LS HW

MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure.
Two slack-style front pockets. Left hip
pocket with button closure.

PLW2 - Men's 28-34, 36-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 88% Cotton /
12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

***Contact customer service for availability.**

NV RBB

PEM2VG



II-HS II-LS HW

MOLTEN METAL WORK PANT

NFPA® 2112 Compliant

Combine with work coat KEM2VG
and KEM4VG.

PEM2 - Men's (Reg) 28-34, 36-52 Even.
Fit Chart MFC-118.

Fabric: Flame Resistant, 13 oz.
(440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12
calories/cm²

Color: Visual Green (VG)

VG





Bulwark® FR

BIBS & COVERALLS

When you need serious protection, Bulwark® FR bibs and coveralls are a no-brainer. Available in a number of styles and protection levels, including options with Hi-Vis striping, multiple pockets for extra storage and with or without insulation. Our coveralls do just what the name says: they cover it all.

SINCE '71

BLF6BD



BLF8BD



BNF8NV



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLF6 - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz. (440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16 calories/cm²

Color: Brown Duck (BD)

BD

DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD NV

PREMIUM UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware.

BNF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

***Contact customer service for availability.**

NV RBB

BLFCRB



NEW!

2 CAT | II-LS | HW

DELUXE UNLINED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Concealed, Nomex taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 360° visibility with front and back 2" yellow/silver/yellow reflective striping.

BLFC - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-14.

Fabric: Flame-resistant 9 oz. (305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Royal Blue (RB)
Stocked in Canada only.

RB

BLFXOR



NEW!

2 CAT | II-LS | HW

DELUXE UNLINED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Concealed, Nomex taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 360° visibility with front and back 2" silver reflective striping.

BLFX - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-14.

Fabric: Flame-resistant 9 oz. (305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²
CSA Z96 Class 2, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

BLCSOR



3 CAT | II-LS | HW

DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with nonconductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BLCS - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Orange (OR)
Stocked in Canada only.

OR

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

BNNTRB



BLCTNV



BLN4BD



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BNNT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Water-repellent Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 100% Meta-aramid

Insulation Package: 13.5 oz. (458 g/m²) 100% Aramid with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Royal Blue (RB)
Stocked in Canada only.

RB

DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with nonconductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BLCT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (475 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Navy (NV), Royal Blue (RB)
Stocked in Canada only.

NV RB

BROWN DUCK DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



BLN6BD

INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers. Elasticized shoulder straps with non-conductive adjustable hardware. Quilted lining from waist to ankle. Leg zippers to thigh.

BLN6 - Men's 32-44 Even.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 6 oz. (203 g/m²) 88% Cotton / 12% Nylon

Insulation: 5.5 oz. (186 g/m²) 44% Cotton / 6.5% Nylon / 46% Modacrylic / 3.5% Polyester

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

BLC8NV



DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLC8 - Men's (Reg) S-5XL.
(Long) M-3XL.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)

GY NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SINCE '71

CNB2RB



CAT 1 | 11-LS | HW

LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Multi functional utility loop inserted into shoulder seam and eight total pockets keep your tools and personal effects within reach while you work.

CNB2 - Men's (Reg) 38-54 Even. (Long) 42-52 Even.
Fit Chart MFC 97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m^2) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm^2

Colors: Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)

NV | RD | RB | TN

CLB2KH



CAT 2 | 11-HS | 11-LS | HW

LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 protection without added bulk. Innovative features provide extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB2 - Men's (Reg) M-3XL. (Long) L-3XL.
Fit Chart MFC 97.

Fabric: Flame-resistant, 7 oz. (235 g/m^2) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm^2

Colors: Khaki (KH), Navy (NV), Royal Blue (RB)

KH | NV | RB

CNB6NV



CAT 1 | 11-LS | HW

LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools and personal effects within reach while you work.

CNB6 - Men's
(Short - RB only) 38-48 Even.
(Reg) 38-58 Even. (Long) 42-58 Even.
Fit Chart MFC 97.

Fabric: Flame-resistant, 6 oz. (205 g/m^2) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm^2

Colors: Navy (NV), Orange (OR)*, Royal Blue (RB)
***CNB6OR is stocked in Canada only.**

NV | OR | RB

CEB2RD



MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with added features for comfort and convenience. Premium features like side vent openings and a deep-pleated action back provide added mobility while you work.

CEB2 - Men's (Reg) 38-54 Even. (Long) 42-52 Even.
Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Medium Grey (GY), Red (RD)

GY RD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

CLB6NV



CAT 2 | II-HS | II-LS | HW

MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB6 - Men's (Reg) M-4XL. (Long) L-4XL. Fit Chart MFC 97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)

NV

CLC8NV



CAT 3 | II-LS | HW

PREMIUM INSULATED COVERALL

NFPA® 2112 Compliant

Two-way, Nomex® taped brass zipper front with concealed snap closures. Two-piece, insulated, stand-up collar with concealed snap closure. Knit storm cuff in hemmed sleeve ends with hook-and-loop suppression tabs. Seven patch pockets. Action back. Reinforced knees. Full Nomex® taped ankle-to-hip brass zippers, concealed snap closure. Elastic waist inserts. Accommodates snap on hood HLH2, sold separately.

CLC8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC 97.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

CLBDOR



CAT 2 | II-LS | HW

PREMIUM COVERALL WITH 4" REFLECTIVE TRIM

NFPA® 2112 Compliant

Men's Premium Coverall with 4" Reflective Trim. Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff.

CLBD - Men's (Reg) 40-58 Even. (Long) 46-52 Even. Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²
CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.

OR

CTBBOR



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CTBB - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.

OR

CLBCNV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping. Mic tab on left chest.

CLBC - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²
CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Orange (OR), Royal Blue (RB)
Stocked in Canada only.

NV OR RB

CMBCRB



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CMBC - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
CSA Z96 Class 1 Level FR Compliant

Color: Royal Blue (RB)
Stocked in Canada only.

RB

CNBCRD



CTBANV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CNBC - Men's (Reg) 38-60 Even.
(Long) 42-60 Even.
Fit Chart MFC-97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²
CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Red (RD), Royal Blue (RB)
Stocked in Canada only.

NV RD RB

PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CTBA - Men's (Reg) 38-58 Even.
(Long) 42-58 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Royal Blue (RB)
Stocked in Canada only.

NV RB





CNR6RB

FLAME RESISTANT (FR)/ CHEMICAL-SPLASH PROTECTION (CP)

This FR/CP coverall brings together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame-resistant fabric prevents clothing ignition during short-duration thermal exposures. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear. Not only are they lightweight and easy to wear, but they also have a finish that does not contain any intentionally added PFAS.

MEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) PREMIUM COVERALL

NFPA® 2112 Compliant

Black stand up collar with concealed snap at neck. Action back. Two-way, concealed, Nomex® tape, brass, break-away zipper. Elastic waist. Snapped wrist closure. Pockets include: splash resistant side pass-through with snap closure, two front inset pockets, two rear patch pockets, two double stitched chest pockets with snap flaps.

CNR6 - Men's (Reg) XS-5XL. (Long) L-3XL.
Fit Chart MFC-97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²)
93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².


Colors: Navy (NV), Royal Blue (RB)

NV RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SINCE '71

CLD4KH



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. Two angled chest pockets with flaps that conceal zipper closures.

CLD4 - Men's (Reg) 34-58. (Long) 42-58. Fit Chart MFC-14.

Fabric: Flame-resistant, 6 oz. (205 g/m^2) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm^2

Colors: Grey (GY), Khaki (KH), Navy (NV), Royal Blue (RB)

GY KH NV RB

CMD8HV



HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CMD8 - Men's (Reg) 38-58 Even. (Long) 42-58 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

CMP6NV



DELUXE COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" silver reflective striping.

CMP6 - Men's (Reg) 38-60 Even. (Long) 42-60 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

CED2RB



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CED2 - Men's (Reg) M-5XL. (Long) L-4XL.
Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Navy (NV), Orange (OR), Royal Blue (RB)

NV OR RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

CMD6KH



DELUXE COVERALL

NFPA® 2112 Compliant

Two-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CMD6 - Men's (Reg) S-5XL. (Long) L-4XL. Fit Chart MFC-97.

Khaki:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

CEC2OR



CLASSIC COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex® taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves.

CEC2 - Men's (Reg) 38-64 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR)

KH NV OR

CECTNV



CLASSIC COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper neck. Hemmed sleeves. Two set-in front pockets. One chest pocket. Two patch hip pockets. Side vent openings. 360° visibility with front and back 2" yellow/silver/yellow reflective striping.

CECT - Men's (Reg) 42-56. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

CEH2NV



CEW2VG



CLASSIC INDUSTRIAL COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex® taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves. Hemmed sleeve ends. Deep-pleated action back. Bartacked pocket flaps.

CEH2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

CLASSIC COVERALL WITH GRIPPER FRONT

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Hemmed sleeves. Six concealed grippers with gripper at neck. Two-piece, sleeve vent, gripper closure.

CEW2 - Men's (Reg) S-4XL. (Long) S-2XL. Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

VG

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.





OUTERWEAR

When the temps tumble, it's time to layer up. FR outerwear from Bulwark® comes in styles to suit anything Jack Frost can throw at you, from light winds to bone-chilling blizzards and everything in between. And with Bulwark innovation, you can layer on the warmth without the added bulk.

SINCE '71

JET2NV



CAT 4 | II-HS | II-LS | HW

TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex® taped, brass zipper. Rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket.

JET2 - Men's (Reg) S-4XL. (Long) L-XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 9 oz. (305 g/m^2) Twill, 100% Cotton

Lining: 14 oz. (475 g/m^2) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm^2

Color: Navy (NV)

NV

JNT2NV



CAT 4 | II-LS | HW

TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex® taped, brass zipper. Rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket.

JNT2 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m^2) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 9.3 oz. (315 g/m^2) Quilted Aramid Insulation

Protection: Arc Rating E_{BT} 58 calories/cm^2

Colors: Black (BKB)*, Navy (NV)
***Contact customer service for availability.**

BKB **NV**

JEL2NV



II-HS II-LS HW

ZIP-IN / ZIP-OUT JACKET

NFPA® 2112 Compliant

Separating, heavy-duty, Nomex® taped brass zipper. Two-piece, lay-flat collar. Banded waist with button-close tabs. Two large inset, welted-slash pockets. Left sleeve pocket. Accommodates LML4 zip-in sleeved liner, sold separately.

JEL2 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant, 9 oz. (305 g/m²)
Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²
When worn with LML4 ensemble Arc Rating is ATPV 45 calories/cm²

Color: Navy (NV)

NV

LML4GY



II-LS HW

ZIP-IN / ZIP-OUT MODA-QUILT® LINER

Zip-in/zip-out brass Nomex® taped zipper track. Fully-insulated sleeves. Zips into JEL2, sold separately.

LML4 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant, 15.5 oz. (525 g/m²)

Lining: 100% Cotton

Insulation: 80% Modacrylic / 20% Polyester

Protection: Arc Rating N/A. When zipped into JEL2 jacket Arc Rating is ATPV 45 calories/cm²

Color: Grey (GY)

GY

JLP8GY



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HLH2, sold separately.

JLP8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)

GY NV

JNP2NV



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HNH2, sold separately.

JNP2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*
***Contact customer service for availability.**

NV RBB

JLPCNV



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPC - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Navy (NV), Royal Blue (RB). **Stocked in Canada only.**

NV RB

NOTE: CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.

JLPSOR



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" silver reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPS - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). **Stocked in Canada only.**

OR

JNPCRB



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HNH2, sold separately.

JNPC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Royal Blue (RB). **Stocked in Canada only.**

RB

HNH2NV



HLH2OR



UNIVERSAL FIT SNAP-ON INSULATED HOOD

HNH2 - Men's - One Size.

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Visit bulwark.com for fabric and protection details. Snaps to JNP2, JNPC, JNJ6 and JNJC, sold separately.

Colors: Navy (NV), Royal Blue (RB)

NV RB

UNIVERSAL FIT SNAP-ON HOOD

HLH2 - Men's - One Size.

Snaps to JLJ6, JLR8, JLP8, JLPC, JLPS and CLC8, sold separately. Visit bulwark.com for fabric and protection details.

Colors: Grey (GY), Navy (NV), Orange (OR), Royal Blue (RB)

GY NV OR RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

LNL8NV



SLEEVED JACKET LINER

NFPA® 2112 Compliant

This Jacket Liner snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Snaps into JLB6, JLJ6, JMJ6, JNJC, and JNJ6.

LNL8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Shell: 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fibers

Insulation: 85% Aramid / 6% Rayon / 9% Para-aramid

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)

NV

LLL8NV



LIGHTWEIGHT SLEEVED JACKET LINER

NFPA® 2112 Compliant

This CAT3 Lightweight Jacket Liner, snaps into JLB6, JLJ6, JMJ6, and JNJ6 jackets (sold separately), for an added layer of warmth and FR protection, only when you need it.

LLL8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Shell: 88% Cotton / 12% Nylon

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

LNS8NV



VEST JACKET LINER

NFPA® 2112 Compliant
Must be worn over an NFPA 2112 compliant shirt.

This lightweight Vest Jacket Liner snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Visit bulwark.com for fabric details.

LNS8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Shell: 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fibers

Insulation: 85% Aramid / 6% Rayon / 9% Para-aramid

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)

NV

JMJ6HV



HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Utility loops at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" silver reflective striping. DWR (Durable Water Repellent) finish. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2 and liners LNL8 and LNS8, sold separately.

JMJ6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

JLJTNV



LINED BOMBER JACKET WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Utility loops at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2 and liner, LLL8, sold separately. DWR (Durable Water Repellent).

JLJT - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV). **Stocked in Canada only.**

NV

JLJPOR



LINED BOMBER JACKET WITH CSA COMPLIANT REFLECTIVE TRIM

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Utility loops at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 2" silver reflective striping. Accommodates snap-on hood HLH2 and liner LLL8, sold separately. DWR (Durable Water Repellent).

JLJP - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) **Stocked in Canada only.**

OR

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

JNJCRB



LINED BOMBER JACKET WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HNH2 and liners LNL8, LNS8, sold separately. DWR (Durable Water Repellent).

JNJC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 20 calories/cm²

Color: Royal Blue (RB). **Stocked in Canada only.**

RB

JNJ6NV



LINED BOMBER JACKET

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with and storm flap construction. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HNH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JNJ6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Ripstop

Protection: Arc Rating ATPV 20 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

JLR8GY



INSULATED BOMBER JACKET

NFPA® 2112 Compliant

Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH2, sold separately. DWR (Durable Water Repellent).

JLR8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (474 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV), Royal Blue (RBB)*
***Contact customer service for availability.**

GY NV RBB

JLJ6NV



LINED BOMBER JACKET

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HLH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JLJ6 - Men's (Reg) S-6XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV)

NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

LLS8BD



NOT INTENDED TO BE WORN AS A SINGLE LAYER

4 CAT | II-HS | II-LS | HW

BROWN DUCK VEST JACKET LINER

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLS8 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



HLH4BD

4 CAT | II-HS | II-LS | HW

BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

VLS2BD



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{BT} 33 calories/cm²

Color: Brown Duck (BD)

BD

JLB6BD



BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLB6 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

JLC6BD



BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

JLH6BD



INSULATED BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLH6 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

JLH4BD



BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SEZ2BK



FULL ZIP FLEECE JACKET

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Right open chest pocket with reinforced ripstop fabric. Two large hand warmer pockets with zipper closure. Full zip. Rib cuffs.

SEZ2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²)
95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Black (BK), Navy (NV)

BK NV

SEZ6OR



NEW!

FULL ZIP CSA JACKET WITH DETACHABLE HOOD

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Two large hand warmer pockets with zipper closure. Full zip with detachable hood and drawstrings. Rib Cuffs. 360° visibility with front and 'X' back 2" silver reflective segmented heat seal striping.

SEZ6 - Men's (Reg) S-3XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.

OR

SEH4NV



ZIP-FRONT HOODED SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Hood with drawstring closure. Zipper front. Rib knit cuffs and waistband. Two patch pockets.

SEH4 - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Charcoal (CH), Navy (NV)

CH NV

SEH8NV



PULLOVER HOODED FLEECE SWEATSHIRT WITH 1/4 ZIP - COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Two-ply hood with drawstring closure and ¼ zip-front. Rib knit cuff and waistband. Side seam pockets. Raglan sleeve.

SEH8 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)

NV

SEC2NV



PULLOVER CREWNECK SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Rib knit cuff, neck and waistband. Plain front.

SEC2 - Men's (Reg) S-5XL. (Long) L-XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)

NV

SMZ8NV



HW

FULL ZIP HOODED FLEECE

NFPA® 2112 Compliant

This warm stylish fleece may become your new favorite hoodie—it's casual, comfortable and up to the job, with CAT2 AR/FR protection. A durable water repellent (DWR) finish to keep you dry.

SMZ8 - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 13 oz. (368 g/m²) 56% Modacrylic / 34% Lyocell / 10% Aramid. DWR Finish.

Protection: Arc Rating E_{BT} 9.9 calories/cm²

Color: Navy (NV)

NV

SEB4NV



NEW!

HW

PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This CAT2 AR/FR pullover hooded sweatshirt is made of warm, stylish fleece that can be worn on or off the job.

SEB4 - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)

NV

SEZ4NV



HW

THERMAL LINED ZIP-FRONT HOODED SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Hood with drawstring closure. Full zipper front. Garment is fully lined except for pockets. Hand warmer pockets (not lined). Rib knit cuffs and waistband.

SEZ4 - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Lining: 7.6 oz. (260 g/m²) 100% Cotton Waffle Texture Knit

Protection: Arc Rating ATPV 54 calories/cm²

Color: Navy (NV)

NV

STZ2BK



NEW!

HW

FLEX KNIT 1/4 ZIP

NFPA® 2112 Compliant

Comfort meets style with stretch fabric that flexes with your body with contrasting sleeves. 1/4 zip closure adds and athletic inspired look for easy on and off.

STZ2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²)
93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Navy (NV)

BK NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.



SMM6NV

NEW!

FR FLEECE FULL ZIP HOODIE

NFPA® 2112 Compliant

Forget choosing between warmth and comfort, this full zip hoodie has it all. With the HoodShield™ integrated face covering and durable water repellent finish, you'll stay dry and protected from the coldest temps. Full zip closure allows for easy on and off.

SMM6 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz. (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-aramid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV

SMZ2NV



NEW!

FR FLEECE 1/4 ZIP PULLOVER

NFPA® 2112 Compliant

Designed for durability and built for comfort, this FR fleece 1/4 zip delivers warmth, flexibility, and a professional look that works as hard as you do. The cadet collar and quarter-zip closure make layering easy, while reinforced elbows add durability where it counts. A large handwarmer pocket keeps your hands protected from the cold, with a hidden zippered pocket for secure storage. Tough yet comfortable, this fleece is the perfect balance of function and style for any job site.

SMZ2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz. (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-aramid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)


NV

SMM4NV





HOODSHIELD™
Integrated face covering



DWR FINISH
Durable Water Repellent
Finish repels the elements



HIDDEN POCKET
Hidden Internal Pocket
with zipper closure

MEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie that helps you storm through the workday shielded from the elements – with everything in working order. Featuring HoodShield™ integrated face covering to shield your face from the wind and cold. A durable water repellent finish to keep you dry. Reinforced forearms that add durability where you need it most. And an oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM4 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV



BACK

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SMB4HG



HW

HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow. *Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: (Hi-Vis Yellow) 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish.
(Grey) 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)

HG

SMH4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360˚ visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMZ4HV



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort, for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliancy, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

JXN4YE



BXN4YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm²
ANSI 107 Type R, Class 3

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET

HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm²
ANSI/ISEA 107 Class E
(Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

JXN6YE



2 CAT | ROADWAY TYPE R CLASS 2

HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1 ½" reflective striping. Tuck away roll-up hood.

JXN6 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant
(Type R Class 3 when worn with BXN6)


Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

BXN6YE



MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET

2 CAT | SUPPLEMENTAL CLASS E

HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN6 - Men's (Reg) S-6XL. Fit Chart MFC-42.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Class E Compliant
(Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

KEW2VG



IL-HS IL-LS HW

WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves, concealed gripper take up. No exposed metal.

KEW2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-134.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

VG

KEM2VG



IL-HS IL-LS HW

MEN'S MOLTEN METAL WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal.

KEM2 - Men's (Reg) S-4XL. (Long) L-XXL.
Fit Chart MFC-134.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)

VG

KEM4VG



IL-LS HW

MEN'S MOLTEN METAL ENHANCED VISIBILITY COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal. 360° visibility with front and back. 2" yellow/silver/yellow reflective striping.

KEM4 - Men's (Reg) S-4XL. (Long) L-XXL.
Fit Chart MFC-134.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)

VG

KLL6NV



KNC2RB



KNC3RB



MEN'S CONCEALED SNAP FRONT LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. Two chest pockets and two front hip pockets.

KLL6 - Men's (Reg) XS-4XL.
Fit Chart MFC-131.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton/ 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Color: Navy (NV)

NV

MEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Slit-back hem for ease of walking.

KNC2 - Men's (Reg) XS-5XL.
Fit Chart MFC-112.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-3XL.
Fit Chart LFC-41.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

KNL2RDB



KNL3RB



KEL2LB



MEN'S LAB COAT

NFPA® 2112 Compliant

Button-front closure. Lapel collar. Hemmed sleeve ends.

KNL2 - Men's (Reg) XS-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

***Contact customer service for availability.**

NV RDB RB

WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3 - Women's (Reg) XS-2XL. Fit Chart LFC-55.

Fabric: Flame-resistant, 4.5 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

LAB COAT

NFPA® 2112 Compliant

Lapel collar. Hemmed sleeve ends. One chest pocket.

KEL2 - Men's (Reg) XS-4XL. Fit Chart MFC-139.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Light Blue (LB)

LB







FLAME RESISTANT (FR)/ CHEMICAL-SPLASH PROTECTION (CP)

These FR/CP garments bring together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame resistant fabric prevents clothing ignition during short-duration thermal incidents and emergency exposure to flame. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear. Not only are they lightweight and easy to wear, but they also have a finish that does not contain any intentionally added PFAS.

MEN'S & WOMEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COATS

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. KNR7 features tailored fit specifically for women.

KNR6 - Men's (Reg) XS-5XL. Fit Chart MFC-179.
KNR7 - Women's (Reg) XS-2XL. Fit Chart LFC-80

Fabric: Flame-resistant, 4.5 oz. (150 g/m²)
93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Color: Royal Blue (RB)

RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.





Bulwark®
FR

WOMEN'S

FR workwear built for women? Believe it. Introducing Bulwark's full line of FR clothing designed to fit the unique shape of a woman's body, with seaming and gusseting that contours to your shape. Because putting yourself in harm's way shouldn't require putting yourself in men's clothing.

SINCE '71

QS51NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-51.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

QS53KH



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)

KH

QS23NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) S-3XL. Fit Chart LFC-51.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QS25RB



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a women's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

QS27RD



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Banded collar, snap front, vertical zipper pocket on left chest provides secure storage, multi-use utility loops in shoulder seams, full underarm gussets keep your shirt from coming untucked. Femine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

QS41KH



2 CAT | II-HS | II-LS | HW

iQ SERIES® WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2™ fabrics by Milliken®. Full underarm gussets allow you to move freely, while pockets give you easy access to storage. And because it's part of the iQ Series Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL.
Fit Chart LFC-51.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)

GY | KH | NV

SLU3RBB



2 CAT | II-HS | II-LS | HW

WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Cuffs with button closure. Button-front placket.

SLU3 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Silver Grey (SYB)*
***Contact customer service for availability.**

KH | LB | NV | ORB | RBB | SYB

SND3TNB



1 CAT | II-LS | HW

WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Cuffs with button closure. Button-front placket. Full underarm gussets.

SND3 - Women's (Reg) S-3XL.
Fit Chart LFC-103.

Fabric: Flame-Resistant, 4.5 oz (150 g/m²) 93% Nomex, 5% Kevlar Aramid, 2% Other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*, Tan (TNB)*
***Contact customer service for availability.**

NVB | RBB | TNB

SEG5KHB



WOMEN'S DRESS SHIRT

Banded, topstitched collar. Cuffs with button closure. Button-front placket.

SEG5 - Women's (Reg) S-3XL.
Fit Chart LFC-91.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Khaki (KHB)*
***Contact customer service for availability.**

KHB

SNS3NVB



WOMEN'S SNAP FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing. Multi-functional utility loop inserted into shoulder seam.

SNS3 - Women's (Reg) S-3XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²), Nomex® Essential
93% Nomex Aramid / 5% Kevlar Aramid / 2% other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*, Tan (TNB)*
***Contact customer service for availability.**

NVB RBB TNB

SLS3NV



WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Streamlined. Pocketless. FR. This is your go-to work shirt, with CAT2 FR protection and NFPA® 2112 compliance.

SLS3 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Light Blue (LBB), Navy (NV)

LBB NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

S1W3HV



WOMEN'S HI-VISIBILITY WORK SHIRT

This hi-vis work shirt combines CAT 2 FR/AR protection with ANSI/ISEA 107 Type R Class 3 compliancy and a professional workwear look. Two chest pockets with button flap closure provide secure storage so you can keep your essentials close. 2" silver reflective striping offers 360° visibility to keep you seen and safe.

S1W3 - Women's (Reg) S-3XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 5.7 oz. (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 9 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Hi-Vis Yellow (HV)

HV

SMW3HVB



WOMEN'S HI-VISIBILITY WORK SHIRT

This hi-vis work shirt combines CAT2 FR protection ANSI 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360˚ visibility to keep you seen and safe.

SMW3 - Women's (Reg) S-3XL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HVB)*
***Contact customer service for availability.**

HVB

SMS5LB



WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. Features underarm gussets for increased mobility, back darts for a feminine fit, CAT2 FR protection and NFPA® 2112 compliant, with reflective striping for 360˚ visibility to keep you seen and safe.

SMS5 - Women's (Reg) S-2XL. Fit Chart LFC-103.

Light Blue:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Light Blue (LB), Navy (NV)


LB NV

BANDED
COLLAR
keeps you looking sharp and professional all day

TWO
CHEST POCKETS
with flaps and button closure for convenient, secure storage

LIGHTWEIGHT
STRETCH FABRIC
flexes with your body for added comfort and range of movement

FULL
UNDERARM GUSSET
keeps your shirt tucked in



STG5NV



CAT 2 | IL-LS | HW

WOMEN'S FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Lightweight stretch fabric and side seam gussets flex with your body for added comfort and range of movement. Two chest pockets with button flaps allows for convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG5 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 6.75 oz (230 g/m²) 93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)

CH | KH | NV

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.



STG3CH

WOMEN'S FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of a classic button-down with a feminine look and feel and the comfort of your favorite T-shirt. Lightweight stretch fabric flexes with your body for added comfort and range of movement.

STG3 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 6.75 oz (230 g/m²)
93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Color: Charcoal (CH)

CH

STZ3NV



WOMEN'S FLEX KNIT 1/4 ZIP PULLOVER

NFPA® 2112 Compliant

A hard-working ¼ zip with a casual, contemporary look. The lightweight fabric flexes for added comfort and range of movement, curved flatlock seams for optimal fit, and unique front pocket design with pencil stall. CAT2/2112 left sleeve label leaves no question you're protected on the job site.

STZ3 - Women's (Reg) XS-2XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: Navy (NV)

NV

STT5OR



WOMEN'S CSA FLEX KNIT TEE

NFPA® 2112 Compliant

Lightweight stretch fabric that flexes with your body for added comfort and range of movement. Dropped back hem presents a flattering silhouette. 360° visibility with front and back segmented heat seal reflective striping.

STT5 - Women's (Reg) XS-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). **Stocked in Canada only.**

OR

STT3NV



WOMEN'S FLEX KNIT TEE

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement. Dropped back hem presents a flattering silhouette.

STT3 - Women's (Reg) XS-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Red (RD)

BK CH KH LB NV RD

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

STL3NV



WOMEN'S FLEX KNIT HENLEY

NFPA® 2112 Compliant

A hard-working Henley with a casual, contemporary look. The lightweight fabric flexes for added comfort and range of movement, curved flatlock seams for optimal fit, and unique front pocket design with pencil stall. CAT2/2112 left sleeve label leaves no question you're protected on the job site.

STL3 - Women's (Reg) S-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

STP3NV



NEW!

WOMEN'S FLEX KNIT POLO

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Lightweight stretch fabric that flexes with your body for added comfort and range of movement. Professional polo collar and sleeve pocket. Drop back hem presents a flattering silhouette.

STP3 - Women's (Reg) XS-2XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: Navy (NV)

NV

SEL3KHB



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three-button placket. Knit henley collar. Rib knit cuffs.


SEL3 - Women's (Reg) S-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Khaki (KHB)*, Navy (NV)
***Contact customer service for availability.**

KHB NV



MID-RISE
ELASTIC WAISTBAND
is comfortable and stays in place while you work

DISCREET
UTILITY POCKETS
on both legs for extra storage

MULTI-USE
UTILITY LOOP
under back left pocket

BOOT CUT
LEG OPENING
designed to wear over work boots



NEW!

HW

WOMEN'S FLEX KNIT WORK PANT

NFPA® 2112 Compliant

The Women's Flex Knit Work Pant was designed by women for women. This pant features a 2 ½" elastic waistband that will not budge during the workday, while the flex knit fabric moves with you. Bootcut leg opening designed to wear over work boots. Pocket options to fit any need and a utility loop for extra tool storage.

PSK1 - Women's (Short) XS-2XL. (Reg) XS-2XL. (Tall) XS-2XL.
Fit Chart LFC-98.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 45% Cotton / 44% Modal / 7% Nylon / 4% Spandex

Protection: Arc Rating E_{BT} 19 calories /cm²

Color: Black (BK)

BK

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

iQ SERIES®
LIGHTWEIGHT COMFORT PANT

QP19NV



1. **TRIPLE NEEDLE OUT AND INSEAM FOR EXTRA DURABILITY**
2. **CARGO POCKET WITH SNAP CLOSURE FOR SECURE STORAGE**
3. **JEAN STYLE CUT**
4. **UTILITY POCKET ON RIGHT LEG FOR QUICK ACCESS TO STORAGE**
5. **REINFORCED BACK PATCH POCKETS AND CARGO POCKET**

CAT 2 | IL-LS | HW

iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark® iQ Series® Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durabilty.

QP19 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with TenCate Evolv™ 6.5 oz. 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm²

Color: Navy (NV)

NV

QP11NV



2 CAT | II-HS | II-LS | HW

iQ SERIES® WOMEN'S ENDURANCE WORK PANT

NFPA® 2112 Compliant

Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day performance without the fraying. Reinforced pocket bags double down on durability. These pants feature an ultra-convenient concealed button, pocket-in-pocket, and utility loop that serves you well while you do the work. Last but not least, they feature a crotch gusset for greater freedom of movement.

QP11 - Women's (Reg) 0-24 Even.
Fit Chart LFC-74.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

NV

QP15NV



2 CAT | II-HS | II-LS | HW

iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight Comfort Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

QP15 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV

QP17RB



1 CAT | II-LS | HW

iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

This straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left covers your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP17 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar®/ 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV | RD | RB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

PNW3RBB



PEW3KHB



PMU3NV



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PNW3 - Women's 4-24.
Fit Chart LFC-69.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*

***Contact customer service for availability.**

NVB RBB

WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PEW3 - Women's
(Navy) 4-24. (Khaki) 2-32.
Fit Chart LFC-69.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KHB)*, Navy (NV)

***Contact customer service for availability.**

KHB NV

WOMEN'S CARGO POCKET PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure. Two utility pockets. Left cargo pocket has two snap closures.

PMU3 - Women's 4-24.
Fit Chart LFC-69.

Khaki:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV



PMW3NV



PLW3BKB



2 CAT | II-LS | HW

WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PMW3 - Women's 4-24.
Fit Chart LFC-69.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

2 CAT | II-HS | II-LS | HW

WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PLW3 - Women's 0-24.
Fit Chart LFC-69.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²


Colors: Black (BKB)*, Navy (NVB)*

***Contact customer service for availability.**

BKB | NVB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

PSJCSD



CAT II-LS HW

WOMEN'S CURVY FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Lightweight fabric with stretch that makes this work jean feel like an everyday jean. Light hand sanding and whiskering gives a more fashionable appearance. Felled inseam and seat seam adds durability. Contoured waistband provides a more comfortable fit. Metal button closure (metal is not exposed to the skin). Two patch, spade-shaped hip pockets. Scoop front pockets with watch pocket on right side. Zipper fly closure.


PSJC - Women's 0-24. Fit Chart LFC-88.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 98% Cotton / 2% Spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)

SD



PSJMSD



WOMEN'S STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Straight through waist. Bootcut leg opening. Contoured waistband with metal button closure (metal is not exposed to skin). Soft, pre-washed and sanded fabric.

PSJM - Women's 0-24.
Fit Chart LFC-64.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 98% cotton / 2% spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)

SD

PEJ3DW



WOMEN'S CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Soft pre-wash for comfort and look. Updated fit. Classic fit is traditional, sits at the natural waist and has a slimmer leg opening that will fit over boots.

PEJ3 - Women's 4-24.
Fit Chart LFC-75.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

KNL3RB



WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid /2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNC3RB



WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar®/ 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNR7RB



WOMEN'S FLAME-RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. Tailored fit specifically for women.

KNR7 - Women's (Reg) XS-2XL. Fit Chart LFC-80.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Color: Royal Blue (RB)

RB



QC3XRB



NEW!

iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC3X - Women's (Reg) S-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-22 Class 1, Level FR

Color: Royal Blue (RB)
Stocked in Canada only.

RB

QC5XOR



NEW!

iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC5X - Women's (Reg) S-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-2022 Class 3, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

QC21DG



CAT 2 | II-LS | HW

iQ SERIES® WOMEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG | NV

QC23RB



CAT 1 | II-LS | HW

iQ SERIES® WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

Built for comfort, this CAT1, 6 oz. coverall feels light and smooth. A patented sleeve pleat gives the arms full range of motion. Our mobility design gives plenty of room for movement and special design features in the lower torso give the wearer room to squat.

QC23 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV | RD | RB

CNB3RD



CAT 1 | II-LS | HW

PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB3 - Women's (Reg) XS-2XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Orange (ORB)*, Red (RD), Royal Blue (RB), Tan (TNB)*

***Contact customer service for availability.**

NV | ORB | RD | RB | TNB

CNB5RB



CLB3NV



CLB7KHB



PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB5 - Women's (Reg) XS-2XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 FR/AR protection without added bulk. Innovative features provide extra comfort and convenience, with sizing designed to fit women. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB3 - Women's (Reg) XS-XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RBB)*

***Contact customer service for availability.**

KH NV RBB

PREMIUM COVERALL

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back.

CLB7 - Women's (Short) XS-2XL. (Reg) XS-3XL. (Long) XS-3XL.
Fit Chart LFC-05.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KHB)*, Navy (NVB)*, Royal Blue (RBB)*

***Contact customer service for availability.**

KHB NVB RBB

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.

SMM5NV



WOMEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie that keeps you shielded from the elements. Featuring HoodShield™ integrated face covering to shield your face from the cold. A durable water repellent finish to keep you dry. Reinforced forearms add durability where you need it most. Contoured design for a women's fit. Oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM5 - Women's (Reg) XS-3XL. Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV

SMM7NV



NEW!

WOMEN'S FR FLEECE FULL ZIP HOODIE

NFPA® 2112 Compliant

Forget choosing between warmth and comfort, this full zip jacket has it all. With the HoodShield™ integrated face covering and durable water repellent finish, you'll stay dry and protected from the coldest temps. Full zip closure allows for easy on and off.

SMM7 - Women's (Reg) XS-3XL.
Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV

JLP7NV



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped separating brass zipper fully covered with insulated storm flap and concealed snap closure. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Women's fit.

JLP7 - Women's (Reg) XS-2XL.
Fit Chart LFC-38.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation package: 14 oz. (475 g/m²) 100% Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

SEZ3BK



WOMEN'S FULL ZIP FLEECE

NFPA® 2112 Compliant

True female fit. Enhanced storage with zipper closure pockets.
Fishtail hem for coverage.

SEZ3 - Women's (Reg) XS-3XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Black (BK), Navy (NV)

BK NV

SEZ7OR



NEW!

WOMEN'S FULL ZIP CSA JACKET WITH DETACHABLE HOOD

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Two large hand warmer pockets with zipper closure. Full zip with detachable hood and drawstrings. Rib Cuffs. 360° visibility with front and 'X' back 2" silver reflective segmented heat seal striping.

SEZ7 - Women's (Reg) XS-3XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada Only.

OR

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in product description.





Bulwark® FR

ACCESSORIES

In the world of FR, the finishing touches can mean the difference between “scot-free” and 3rd-degree. Make sure you’re protected head-to-toe with accessories that meet FR compliance standards.

SINCE ‘71



HNB4NA



KNIT BALACLAVA

Double-layer head. Single-layer, extra long neck skirt.

HNB4 - Men's One size.

Fabric: Flame-resistant, 8.4 oz. (285 g/m²) Nomex® Knit

Protection: (Double-layer) Arc Rating ATPV 15 calories/cm²
(Single-layer) Arc Rating ATPV 6.5 calories/cm²

Color: Natural (NA)

NA

HEB2NV



BALACLAVA WITH FACE MASK

NFPA® 2112 Compliant

HEB2 - Men's One size.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating ATPV 10 calories/cm²

Colors: Grey (GY), Navy (NV)

GY NV

HNL2NV



HNM2NV



CAT 3 | II-LS | HW

HARD HAT LINER & FACE MASK (SOLD SEPARTELY)

Hook-and-loop chin strap. Secures in place, button holes for four-point suspension.

HNL2 - Men's One size.
HNM2 - Men's One size. Attaches to HNL2, sold separately.

Fabric: Flame-resistant

Shell: 4.5 oz. (150 g/m^2) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Insulation package: 10 oz. (340 g/m^2) 90% Aramid / 10% FR Rayon

Lining: 100% Meta-aramid

Protection: Arc Rating E_{BT} 37 calories/cm^2

Color: Navy (NV)

NV

HLB6LD



CAT 1 | II-HS | II-LS | HW

BANDANA & HEAD TIE

Sized to fit under hard hat. Packaged one bandana and one head tie.

HLB6 - Men's - One Size.

Fabric: Flame-resistant, 7 oz. (185 g/m^2) 100% Cotton

Protection: Arc Rating ATPV 8.1 calories/cm^2

Color: Light Denim (LD)

LD

HMC2BK



CAT 3 | HW

KNIT CAP

Double layers. Comfortable. Fit to wear under hard hat.

HMC2 - Men's M-L.

Fabric: Flame-resistant, 10.5 oz. (360 g/m^2) Modacrylic Blend

Protection: Arc Rating E_{BT} 28 calories/cm^2

Color: Black (BK)

BK

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.

VMV4HV



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.
Fit Chart MFC-18.

Fabric: Flame-Resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

VLVTOR



SAFETY VEST WITH REFLECTIVE TRIM

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

5-point breakaway yard vest with hook and loop closures. Three pockets for storage. Mic tabs at shoulders. 360° visibility with front and 'X' back 2" silver reflective striping.

VLVT - Men's S-4XL.
Fit Chart MFC-18.

Fabric: Flame-Resistant, 7 oz. (235 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Orange (OR)
Stocked in Canada only.

OR

CLC4NVB



HLC4NVB



BLC4NVB



4 CAT HW

SHORT COAT

CLC4NVB - (Reg) S-3XL.

Thigh length. Two-piece raglan sleeve.
Double-layer stand-up collar.

4 CAT HW

HOOD WITH PROTECTIVE SHIELD

HLC4NVB - One size.

Includes ANSI/ISEA Z87.1 faceshield.
Shoulder notches for stability.
Fits standard hard hat.

DUF6RBB



HW

DUFFLE BAG

DUF6RBB - One size.

Fabric: 100% Waterproof Nylon

Protection: N/A

***NOT FLAME RESISTANT**

FAC4BNB



REPLACEABLE FACE SHIELD

FAC4BNB - One size.

Hook-and-loop tabs placed on inside of detachable face shield for easy removal. Replaceable shield for HLC4NVB.

Protection: ANSI/ISEA Z87.1

4 CAT HW

BIB

BLC4NVB - (Reg) S-5XL.

Quick disconnect straps.
Hook-and-loop fly closure.
Covered leg zipper with gusset.

All product on spread: Imported of fabric made in U.S.A., unless otherwise specified in the product description.



PLAIN COVERALL
CED2NV



NORDIC STRIPE



D35 STRIPE



D50 STRIPE

HIGH / ENHANCED VISIBILITY RETRO-REFLECTIVE TRIM

Increased worker visibility can be critical when working in high-traffic areas, around equipment operations or within environments where it is crucial to be seen. Adding striping to your uniform can make a life-saving difference. The American National Standard for High-Visibility Safety Apparel is ANSI/ISEA 107. This standard specifies performance requirements including the type, location and minimum area of the retro-reflective trim, as well as the color, physical properties and minimum area of the fabric used in the construction of high-visibility garment. These performance requirements have been developed by industry experts to provide visibility of wearers in a variety of situations. We recommend following these requirements whenever possible, based on your hazard assessment. ANSI-ISEA 107 compliant garments can be found on pages 40-51.

Simply enhancing your uniform by adding retroreflective striping can also be helpful in providing improved visibility of workers. Select from many trim options, colors and placement to meet your specific worker visibility needs. This distinctive striping can be added to most Bulwark® garments. Flame-resistant striping is always used for FR garments. The garments and striping you select should depend on the end use requirements and the method of laundering used on the garments.

Above are examples of how a plain stocked garment can be customized with three of our most popular striping configurations. With a few exceptions, stripes shown above the waist can be applied to a shirt, jacket or coverall. Stripes shown below the waist can be applied to a pant or coverall. The specific details of a garment, like the size of a pocket, the placement of closures, an emblem or an additional pocket, may dictate a slight change in the placement from what is shown in these images. Striping applied post-manufacturing will always go around a pocket or emblem. Pockets cannot be removed for reflective trim application. Stripes on a waistband will be moved up or down if the waistband has elastic sections.

Through our customization program, we have taken the capability of creating customized uniform items and apparel to a new level. Visualize it... create it... and we'll produce it. This unique program allows you to select stock apparel and modify or customize them to create uniforms that cater directly to your customer's needs. This allows many customers to purchase similar items while maintaining individual expression.

SLW2LB




EMBROIDERY & EMBLEMS

Customize your Bulwark® garments by adding a company logo or employee name and department with direct embroidery or emblems.

Thread colors are from A & E Signature threads. They have excellent color retention with a high luster finish, are strong to prevent breakage, and have very good abrasion resistance that will stand up to the rigors of industrial washing. To preserve the flame-resistant qualities of the apparel, minimize the size and number of non-FR emblems applied to a garment.

TOOLS TO GET YOU STARTED:

CUSTOMIZATION GUIDE







You can find our online customization catalog at wpg.wwof.com/Information/CustomizeIt. The catalog shows you a quick glance of over 100 embroidery thread color options. There is also a section outlining placement of reflective trim along with the different color options and sizes available.

CONTACT YOUR SALES REP FOR MORE INFO!


MEN'S MEASUREMENTS



WOMEN'S MEASUREMENTS



A - NECK
Measure around the base of your neck where a collared shirt would fit; or measure a collarband of a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the buttonhole to the center of the button.



B - TRUNK
Measure from the base of the neck (front) down around the crotch and back up to the bottom of the collar. For coveralls only - see Diagram.

C - CHEST / BUST
Measure at the fullest part of your chest / bust. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally with your arms down by your side.

D - WAIST / MID SECTION
First, remove your belt. Then measure over shirt (not over pants) at the position you normally wear your pants. Hold the tape firmly, but not tightly. Note - For shirts and coveralls, measure the largest portion of the mid-section.

E - HIPS
Stand with your heels together. Measure around the fullest part of the hips. Hold the tape measure straight and level.

F - THIGH
Measure the circumference of the upper leg close to the crotch (approximately 1" below crotch).

G - KNEE
With the leg straight, measure the knee circumference over the knee cap and parallel to the floor.

H - CALF
Measure the circumference of the largest part of the lower leg approximately half way between the knee and ankle and parallel to the floor.

I - ANKLE
Measure the ankle circumference over the ankle bone and parallel to the floor.

J - UPPER ARM / BICEP
Measure the maximum circumference of the upper arm just below the underarm.

K - FOREARM
Measure the maximum circumference of the forearm at approximately 6" above the wrist.

L - CAP / HAT SIZE
Measure the circumference of the head at its widest diameter, approximately 1/8" above the ears.


M - SLEEVE
Bend the elbow as shown (see M). Start at the center back neck and measure across shoulder to the elbow and down to the wrist bone.

N - ACROSS SHOULDER
While standing with arms down, measure across the back from one shoulder joint to the other.

O - WRIST
Measure the wrist circumference over the wrist bone.

P - HEIGHT
Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.

Q - INSEAM
Standing straight, measure the distance from the crotch to just below the ankle bone. **Or** - using similar style pants that fit you well; lay garment flat and with the front and back creases smooth. Measure the inside seam of one leg from the bottom of the hem to the crotch (see Qb).




R - OVERARM (BLAZERS)
With arms at the sides, measure around the broadest part of the shoulders and upper arms, keeping the tape level at all times. If overarm is more than 7" larger than the chest, go up one size.

S - OUTSEAM
Measure along the outside of the leg from the top of the waistband to the bottom of the hem or just below the ankle bone.

Sa - OUTSEAM ON GARMENT
On an existing garment: lay garment flat, measure along the outseam from the top of the band to the bottom hem.



T - FRONT AND BACK RISES
Front - this is the distance from the center front at the top of the waistband to the intersection of the crotch seam.
Back - this is the distance from the center back waistband to the intersection of the crotch seams.



LFC-01	XS		S		M		L		XL		XXL		3XL		4XL	
Size	**2**	**4**	**6**	**8**	**10**	**12**	**14**	**16**	**18**	**20**	**22**	**24**	**26**	**28**	**30**	**32**
Bust	31½ ↓ 32	32½ ↓ 33	33½ ↓ 34	34½ ↓ 35	35½ ↓ 36	36½ ↓ 37½	38 ↓ 39	39½ ↓ 40½	41½ ↓ 42½	43½ ↓ 44½	45½ ↓ 46½	47½ ↓ 48½	49½ ↓ 50½	51½ ↓ 52½	53½ ↓ 54½	55½ ↓ 56½
Waist	23½ ↓ 24	24½ ↓ 25	25½ ↓ 26	26½ ↓ 27	27½ ↓ 28	28½ ↓ 29½	30 ↓ 31	31½ ↓ 32½	33 ↓ 34½	35 ↓ 36½	37 ↓ 38½	39 ↓ 40½	41 ↓ 42½	43 ↓ 44½	45 ↓ 46½	47 ↓ 48½
Hip	33 ↓ 33½	34 ↓ 34½	35 ↓ 35½	36 ↓ 36½	37 ↓ 37½	38 ↓ 39	39½ ↓ 40½	41 ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58

Height: Petite: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7½"-5'11"

LFC-02	XS			S		M		L		XL		XXL		3XL		4XL	
Size	**0**	**2**	**4**	**6**	**8**	**10**	**12**	**14**	**16**	**18**	**20**	**22**	**24**	**26**	**28**	**30**	**32**
Bust	32 ↓ 33	33 ↓ 34	34 ↓ 35	35 ↓ 36	36 ↓ 37	37 ↓ 38	38 ↓ 39½	39½ ↓ 41	41 ↓ 42½	42½ ↓ 44½	44½ ↓ 46½	46½ ↓ 48½	48½ ↓ 50½	50½ ↓ 52½	52½ ↓ 54½	54½ ↓ 56½	56½ ↓ 58½
Waist	25 ↓ 26	26 ↓ 27	27 ↓ 28	28 ↓ 29	29 ↓ 30	30 ↓ 31	31 ↓ 32½	32½ ↓ 34	34 ↓ 35½	35½ ↓ 37½	37½ ↓ 39½	39½ ↓ 41½	41½ ↓ 43½	43½ ↓ 45½	45½ ↓ 47½	47½ ↓ 49½	49½ ↓ 51½
Hip	34½ ↓ 35½	35½ ↓ 36½	36½ ↓ 37½	37½ ↓ 38½	38½ ↓ 39½	39½ ↓ 40½	40½ ↓ 42	42 ↓ 43½	43½ ↓ 45	45 ↓ 47	47 ↓ 49	49 ↓ 51	51 ↓ 53	53 ↓ 55	55 ↓ 57	57 ↓ 59	59 ↓ 61

Height: Petite: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7½"-5'11"

LFC-05	XS		S		M		L		XL		XXL		3XL		4XL	
Size	**0**	**2**	**4**	**6**	**8**	**10**	**12**	**14**	**16**	**18**	**20**	**22**	**24**	**26**	**28**	**30**	**32**
Bust	30¾ ↓ 32	32¼ ↓ 33½	33¾ ↓ 35	35¼ ↓ 36½	36¾ ↓ 38	38¼ ↓ 39½	39¾ ↓ 41	41¼ ↓ 42½	42¾ ↓ 44	44¼ ↓ 45½	45¾ ↓ 47	47¼ ↓ 48½	48¾ ↓ 50	50¼ ↓ 51½	51¾ ↓ 53	53¼ ↓ 54½	54¾ ↓ 56
Hip	31¾ ↓ 33	33¼ ↓ 34½	34¾ ↓ 36	36¼ ↓ 37½	37¾ ↓ 39	39¼ ↓ 40½	40¾ ↓ 42	42¼ ↓ 43½	43¾ ↓ 45	45¼ ↓ 46½	46¾ ↓ 48	48¼ ↓ 49½	49¾ ↓ 51	51¼ ↓ 52½	52¾ ↓ 54	54¼ ↓ 55½	55¾ ↓ 57

Height: Petite: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7½"-5'11"

LFC-36	XXS		XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL	
Size	**00**	**0**	**2**	**4**	**6**	**8**	**10**	**12**	**14**	**16**	**18**	**20**	**22**	**24**	**26**	**28**	**30**	**32**	**34**	**36**	**38**	**40**
Bust	31¼ ↓ 32	32¼ ↓ 33	33¼ ↓ 34	34¼ ↓ 35	35¼ ↓ 36	36¼ ↓ 37	37¼ ↓ 38	38¼ ↓ 39½	39¼ ↓ 41	41¼ ↓ 43	43¼ ↓ 45	45¼ ↓ 47	47¼ ↓ 49	49¼ ↓ 51	51¼ ↓ 53	53¼ ↓ 55	55¼ ↓ 57	57¼ ↓ 59	59¼ ↓ 61	61¼ ↓ 63	63¼ ↓ 65	65¼ ↓ 67
Waist	28½	29¼	30	31	32	33	34	35½	37½	39¾	42	44¼	46¾	49¼	51¼	54¼	56¾	59¼	61¾	64¼	66¾	69¼
Hip	34½ ↓ 35	35¼ ↓ 36	36¼ ↓ 37	37¼ ↓ 38	38¼ ↓ 39	39¼ ↓ 40	40¼ ↓ 41	41¼ ↓ 42½	42¾ ↓ 44	44¼ ↓ 46	46¼ ↓ 48	48¼ ↓ 50	50¼ ↓ 52	52¼ ↓ 54	54¼ ↓ 56	56¼ ↓ 58	58¼ ↓ 60	60¼ ↓ 62	62¼ ↓ 64	64¼ ↓ 66	66¼ ↓ 68	68¼ ↓ 70

Height: Short: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7"-5'11"

LFC-38	XXS	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL	
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
Bust	32 ↓ 33	33 ↓ 34	34 ↓ 35	35 ↓ 36	36 ↓ 37	37 ↓ 38	38 ↓ 39½	39½ ↓ 41	41 ↓ 43	43 ↓ 45	45 ↓ 47	47 ↓ 49	49 ↓ 51	51 ↓ 53	53 ↓ 55	55 ↓ 57	57 ↓ 59	59 ↓ 61	61 ↓ 63	63 ↓ 65	65 ↓ 67
Waist	25 ↓ 26	26 ↓ 27	31	32	33	34	35½	37½	39¾	42	44¼	46¾	49¼	51¼	54¼	56¾	59¼	61¾	64¼	66¾	69¼
Hip	34½ ↓ 35½	35½ ↓ 36½	36½ ↓ 37½	37½ ↓ 38½	38½ ↓ 39½	39½ ↓ 40½	40½ ↓ 42	42 ↓ 44	44 ↓ 46	46 ↓ 48	48 ↓ 50¼	50¼ ↓ 52½	52¼ ↓ 54¾	54¾ ↓ 57	57 ↓ 59½	59¼ ↓ 61½	61½ ↓ 63¾	63¾ ↓ 66	66 ↓ 68¼	68¼ ↓ 70½	70½ ↓ 72¾

Height: Petite: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7½"-5'11"

LFC-39	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Chest	26½ ↓ 29	29½ ↓ 32	32½ ↓ 35	35½ ↓ 38	38½ ↓ 41	41½ ↓ 44½	45 ↓ 48	48½ ↓ 51½	52 ↓ 55	55½ ↓ 58½
Hip	28½ ↓ 31	31½ ↓ 34	34½ ↓ 37	37½ ↓ 40	40½ ↓ 43	43½ ↓ 46½	47 ↓ 50	50½ ↓ 53½	54 ↓ 57	57½ ↓ 60½

Height: Petite: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7½"-5'11"

LFC-41	XXS	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Size	29¾ - 31½	31¾ - 33½	33¾ - 35½	35¾ - 38	38¼ - 41	41¼ - 45	45¼ - 49	49¼ - 53	53¼ - 57	57¼ - 61
Chest Size	30¾ - 32½	32¾ - 34½	34¾ - 36½	36¾ - 39	39¼ - 42	42¼ - 46	46¼ - 50	50¼ - 54¼	54½ - 59	59¼ - 63½

LFC-51	XXS		XS		S		M		L	
Size	00	0	2	4	6	8	10	12	14	16
Bust	31 ↓ 32	32¼ ↓ 33	33¼ ↓ 34	34¼ ↓ 35	35¼ ↓ 36	36¼ ↓ 37	37¼ ↓ 38	38¼ ↓ 39½	39¾ ↓ 41	41¼ ↓ 43
Waist		30½		32½		34½		37		40
Hip		36		38		40		42		45

Height: Short: 4'11"-5'3" **Regular:** 5'3 ½"-5'7" **Tall:** 5'7 ½"-5'11"

LFC-55	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Size	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Bust	34¼ ↓ 35¼	35¼ ↓ 36¼	36¼ ↓ 37¼	37¼ ↓ 38¼	38¼ ↓ 39½	39½ ↓ 40¾	40¾ ↓ 42¼	42¼ ↓ 43¾	43¾ ↓ 45¾	45¾ ↓ 47¾	47¾ ↓ 49¾	49¾ ↓ 51¾	51¾ ↓ 53¾	53¾ ↓ 55¾	55¾ ↓ 57¾	57¾ ↓ 59¾	59¾ ↓ 61¾	61¾ ↓ 63¾
Waist		36¼		38¼		40¾		43¾		47¾		51¾		55¾		60¾		65½
Hip		39¾		41¾		44¼		47¼		51¼		55¼		59¾		64¼		69¼

Height: Petite: 4'11"-5'3" **Regular:** 5'3½"-5'7" **Tall:** 5'7½"-5'11"

LFC-64	SIZE	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
WAIST MEASUREMENT RANGE	COMPRESSED	30	31	32	33	34	35	37	38½	40	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½
	COMFORTABLE	28½	29½	30½	31½	32½	33½	35	36½	38	38½	42	44	46	48	50	52	54	56	58	60	62
	MAX SEAT FOR GARMENT SIZE	36	37	38	39	40	41	42½	44	45½	47	49	51	53	55	57	59	61	63	65	67	69

- If persons seat +6 7/8" or less from belted waist measurement RECOMMEND GOING WITH COMPRESSED WAIST
- If persons seat +7" or more from belted waist measurement - RECOMMEND GOING WITH COMFORTABLE WAIST

LFC-69	SIZE	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
WAIST MEASUREMENT RANGE	COMPRESSED	30	31	32	33	34	35	37	38½	40	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½
	COMFORTABLE	28½	29½	30½	31½	32½	33½	35	36½	38	39½	42	44	46	48	50	52	54	56	58	60	62
	MAX SEAT FOR GARMENT SIZE	37	38	39	40	41	42	43½	45	46½	48	50	52	54	56	58	60	62	64	66	68	70

"Low Rise" NOTE: Measure waist right below hip bones. If persons seat +6 ⅞" or less from belted waist measurement RECOMMEND GOING WITH COMPRESSED WAIST. If persons seat +7" or more from belted waist measurement - RECOMMEND GOING WITH COMFORTABLE WAIST.

LFC-74	SIZE	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
WAIST MEASUREMENT RANGE	SNUG WAIST	31	32	33	34	35	36	38	39½	41	42½	45½	47½	49½	51½	53½	55½	57½	59½	61½	63½	65½
	RELAXED WAIST	29½	30½	31½	32½	33½	34½	36	37½	39	40½	43	45	47	49	51	53	55	57	59	61	63
	MAX SEAT FOR GARMENT SIZE	36	37	38	39	40	41	42½	44	45½	47	49	51	53	55	57	59	61	63	65	67	69

NOTE: Measure at pant waist slightly below belly button. Measure seat at fullest part of the hip. If you are above 5'7" rise may hit slightly lower. If you are below 5'3" rise may hit slightly higher.

LFC-75	SIZE	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
WAIST MEASUREMENT RANGE	SNUG WAIST	30	31	32	33	34	35	37	38½	40	41½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½
	RELAXED WAIST	28½	29½	30½	31½	32½	33½	35	36½	38	39½	42	44	46	48	50	52	54	56	58	60	62
	MAX SEAT FOR GARMENT SIZE	37	38	39	40	41	42½	44	45½	47	48½	50½	52½	54½	56½	58½	60½	62½	64½	66½	68½	70½

NOTE: Measure at pant waist slightly below belly button. Measure seat at fullest part of the hip. If you are above 5'7" rise may hit slightly lower. If you are below 5'3" rise may hit slightly higher.

LFC-88	SIZE	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
WAIST MEASUREMENT RANGE	SNUG WAIST	29	30	31	32	33	34	35½	37	38¾	40¾	42¾	44¾	46¾	48¾	50¾	52¾	54¾	56¾	58¾	60¾	62¾
	RELAXED WAIST	27½	28½	29½	30½	31½	32½	34	35½	37	38¾	40¾	42¾	44¾	46¾	48¾	50¾	52¾	54¾	56¾	58¾	60¾
	MAX SEAT FOR GARMENT SIZE	37	38	39	40	41	42	43½	45	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½	66½	68½	70½

NOTE: Measure at pant waist at or slightly below hip bones. Measure seat at fullest part of the hip. If you are 4'11"-5'3" rise may be above hip bone. If you are 5'3 ½" - 5'7" rise may be at or right below hip bone. If you are 5'7 ½" - 5'11" rise may be below hip bone.

LFC-91	XS		S		M		L	
Size	2	4	6	8	10	12	14	16
Bust	34¾ ↓ 35¾	35¾ ↓ 36¾	36¾ ↓ 37¾	37¾ ↓ 38¾	38¾ ↓ 40	40 ↓ 41¼	41¼ ↓ 42¾	42¾ ↓ 44¼
Waist		34¼		36¼		38¾		41¾
Hip		36½		38½		41		44

Height: Short: 4'11"-5'3" **Regular:** 5'3 ½"-5'7" **Tall:** 5'7 ½"-5'11"

LFC-98	XS	S	M	L	XL	XXL
Size	2-4	6-8	10-12	14-16	18-20	22-24
Max Waist Up To	32½	34½	37	40	44	48
Max Seat for Garment Size	38½	40½	43	46	50	54

Length: SH / Short = 29" **Height:** 5'3" and shorter
Length: RG / Regular = 31" **Height:** 5'7" and shorter
Length: TL / Tall = 33" **Height:** 5'7½" and taller
*** Measure seat at fullest part of the hip**
*** If your waist exceeds max waist for that size, then size up for waist**

LFC-103	XXS		XS		S		M		L	
Size	00	0	2	4	6	8	10	12	14	16
Bust	31 ↓ 32	32¼ ↓ 33	33¼ ↓ 34	34¼ ↓ 35	35¼ ↓ 36	36¼ ↓ 37	37¼ ↓ 38	38¼ ↓ 39½	39¾ ↓ 41	41¼ ↓ 43
Waist		29		31		33		35½		39½
Hip		36		38		40		42½		46½

Height: Short: 4'11"-5'3" **Regular:** 5'3 ½"-5'7" **Tall:** 5'7 ½"-5'11"

MFC-03	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	29 ↓ 32	32 ↓ 35	35 ↓ 38	38 ↓ 41	41 ↓ 45	45 ↓ 49½	49½ ↓ 54	54 ↓ 58½	58½ ↓ 63	63 ↓ 67½	67½ ↓ 72	72 ↓ 76½	76½ ↓ 81

Height: Regular: up to 5'11" **Tall:** over 5'11"

MFC-10		S	M	L	XL	XXL	3XL	4XL	5XL
Neck		13⅝ - 14½	14⅝ - 15½	15⅝ - 16½	16⅝ - 17½	17⅞ - 18½	18⅞ - 19½	19⅞ - 20½	20⅝ - 21½
Chest		32½ - 36	36½ - 40	40½ - 44	44½ - 48	48½ - 52	52½ - 56	56½ - 60	60½ - 64
Max. Waist		35¼	39¾	44¼	48¾	52¾	56¾	60¾	64¾
Sleeve Length*	RG	33	33½	34	34½	35	35	35	35
	LN	35½	35½	36	36	36	36	36	36
	XLN	37	37	37	37	37	37	37	37
Back Length	RG	Regular Back Length							
	LN	Regular Back Length plus 1½"							
	XLN	Regular Back Length plus 4"							
	SS	Regular Back Length							
	SSL	Regular Back Length plus 4"							

* Sleeve Length is based on actual body measurement. Body length varies accordingly as shown above.

MFC-12	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL		7XL		8XL	
Chest Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78
Chest Max.	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78

NOTE: If waist size is larger than chest size, use waist measurement as size. **Height: Short:** 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **X-Long:** 6'3"-6'5"

MFC-13	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest Size	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60

MFC-14	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL		7XL	
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest	28½ ↓ 30	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64	64½ ↓ 66	66½ ↓ 68	68½ ↓ 70	70½ ↓ 72
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½	66½	68½	70½	72½

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **X-Long:** 6'3"-6'5"

MFC-15	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64
Chest	28½ ↓ 30	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64
Waist Max	28½	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **X-Long:** 6'3"-6'5"

MFC-16	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Size	33½ ↓ 36	36½ ↓ 39	39½ ↓ 42	42½ ↓ 45	45½ ↓ 48	48½ ↓ 51	51½ ↓ 54	54½ ↓ 57	57½ ↓ 60

MFC-17	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Max.	34	36	40	44	48	50	52	54	56

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-18	S/M	L/XL	2XL/3XL	4XL/5XL	6XL/7XL
Chest Max.	40	48	52	56	60

MFC-42	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Waist Max	35	38	41	45	49	53	57	61	64½	68½

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-46		S	M	L	XL	2XL	3XL	4XL	5XL
Neck		13⅝ - 14½	14⅝ - 15½	15⅝ - 16½	16⅝ - 17½	17⅝ - 18½	18⅝ - 19½	19⅝ - 20½	20⅝ - 21½
Chest		34½ - 38	38½ - 42	42½ - 46	46½ - 50	50½ - 53	53½ - 56	56½ - 59	59½ - 62
Max. Waist		36	40	44	48	51½	55	58½	62
Sleeve Length	RG	34¼	34¾	35¼	35¾	36¼	36¾	37¼	37¾
	LN	35¾	36¼	36¾	37¼	37¾	38¼	38¾	39¼
	XLN	37¼	37¾	38¼	38¾	39¼	39¾	40¼	40¾
Back Length	RG	Regular Back Length							
	LN	Regular Back Length plus 1½"							
	XLN	Regular Back Length plus 4"							
	SS	Regular Back Length							
	SSL	Regular Back Length plus 4"							

MFC-51	S	M	L	XL	XXL	3XL	4XL	5XL
Waist Max	33	36	39	42	45	48	51	54

MFC-53	S	M	L	XL	XXL	3XL	4XL	5XL
Waist Max	35	39	43	47	51	55	59	63

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-77		S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck		14⅞ ↓ 15¾	15⅞ ↓ 16¾	16⅞ ↓ 17¾	17⅞ ↓ 18¾	18⅞ ↓ 19¾	19⅞ ↓ 20¾	20⅞ ↓ 21¾	21⅞ ↓ 22¾	22⅞ ↓ 23¾
Chest		34½ ↓ 38	38½ ↓ 42	42½ ↓ 46	46½ ↓ 50	50½ ↓ 54	54½ ↓ 58	58½ ↓ 62	62½ ↓ 66	66½ ↓ 70
Max. Waist		35½	40	44½	49	53	57	61	65	69
Sleeve Length	RG	34¼	34¾	35¼	35¾	36¼	36¼	36¼	36¼	36¼
	LN	36¼	36¼	36¾	36¾	36¾	36¾	36¾	36¾	36¾
	XLN	37¾	37¾	37¾	37¾	37¾	37¾	37¾	37¾	37¾
Back Length	RG	Regular Back Length								
	LN	Regular Back Length plus 1⅜"								
	XLN	Regular Back Length plus 4"								
	SS	Regular Back Length								
	SSL	Regular Back Length plus 4"								

MFC-97	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL		7XL	
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest	29½ ↓ 31	31½ ↓ 33	33½ ↓ 35	35½ ↓ 37	37½ ↓ 39	39½ ↓ 41	41½ ↓ 43	43½ ↓ 45	45½ ↓ 47	47½ ↓ 49	49½ ↓ 51	51½ ↓ 53	53½ ↓ 55	55½ ↓ 57	57½ ↓ 59	59½ ↓ 61	61½ ↓ 63	63½ ↓ 65	65½ ↓ 67	67½ ↓ 69	69½ ↓ 71	71½ ↓ 73
Waist Max	26½	28½	30½	32½	34½	36½	38¾	41	43¼	45½	47¾	50	52¼	54½	56¾	59	61¼	63½	65¾	68	70¼	72½

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **X-Long:** 6'3"-6'5"

MFC-99	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL		7XL		8XL
Chest Size	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78
Chest Max	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78	80

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **X-Long:** 6'3"-6'7" ***NOTE:** If waist size is larger than chest size, use waist measurement as size.

MFC-100	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	29½ ↓ 33	33½ ↓ 37	37½ ↓ 41	41½ ↓ 45	45½ ↓ 49	49½ ↓ 53	53½ ↓ 57	57½ ↓ 61	61½ ↓ 65	65½ ↓ 69	69½ ↓ 73	73½ ↓ 77

MFC-101	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Chest	29½ ↓ 33	33½ ↓ 37	37½ ↓ 41	41½ ↓ 45	45½ ↓ 49	49½ ↓ 53	53½ ↓ 57	57½ ↓ 61	61½ ↓ 65	65½ ↓ 69
Waist Max	29	33	37	41	45	49	53	57	61	65

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **X-Long:** 6'3"-6'5"

MFC-102	M	L
Men's Shoe	4-7½	8-12½
Women's Shoe	5½-9½	10-13
Foot Length	8½-10	10-11½

MFC-116	SIZE	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	42	44	46	48	50	52	54	56	58	60
WAIST MEASUREMENT RANGE	FOR SNUG FIT	27½	28½	29½	30½	31½	32½	33½	34½	35½	36½	37½	38½	39½	40½	41½	42½	43½	45½	47½	49½	51½	53½	55½	57½	59½	61½	63½
	MAX SEAT FOR GARMENT SIZE	33½	34½	35½	36½	37½	38½	39½	40½	41½	42½	43½	44½	45½	46½	47½	48½	49½	51	52½	54	56	57½	59½	61	62½	64	65½
	FOR RELAXED FIT	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	44	46	48	50	52	54	56	58	60	62
	MAX SEAT FOR GARMENT SIZE	33½	34½	35½	36½	37½	38½	39½	40½	41½	42½	43½	44½	45½	46½	47½	48½	49½	51	52½	54	55½	57½	59	61	62½	64	65½

Pant Length: 5'3"-5'7" Short, 5'7-5-11" Regular, 5'11"- 6'3" Long

*** Measure pant waist slightly below belly button or if wearing under midsection, measure waist at your pant waistline**

*** Measure seat at fullest part of hip**

MFC-118	SIZE	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	42	44	46	48	50	52	54	56	58	60
WAIST MEASUREMENT RANGE	FOR SNUG FIT	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	44	46	48	50	52	54	56	58	60	62
	FOR RELAXED FIT	24½	25½	26½	27½	28½	29½	30½	31½	32½	33½	34½	35½	36½	37½	38½	39½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½
	MAX SEAT FOR GARMENT SIZE	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50½	52	53½	55½	57	59	60½	62	63½	65

Pant Length: 5'3"-5'7" Short, 5'7-5-11" Regular, 5'11"- 6'3" Long

*** Measure pant waist slightly below belly button or if wearing under midsection, measure waist at your pant waistline (based on average height of 5'7"-5'11")**

*** Measure seat at fullest part of hip**

MFC-119	SIZE	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	42	44	46	48	50	52	54	56	58	60
WAIST MEASUREMENT RANGE	FOR SNUG FIT	26½	27½	28½	29½	30½	31½	32½	33½	34½	35½	36½	38	39	40	41	42	43	45	47	49	51	53	55	57	59	61	63
	FOR RELAXED FIT	25	26	27	28	29	30	31	32	33	34	35	36½	37½	38½	39½	40½	41	43	45	47	49	51	53	55	57	59	61
	MAX SEAT FOR GARMENT SIZE	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50½	52	53½	55	57	58½	60½	62	63½	65

Height: 5'3"-5'7" at Belly Button, 5'7-5-11" Slightly Below Belly Button, 5'11"- 6'3" Closer to Hip Bones

*** Measure pant waist slightly below belly button or if wearing under midsection, measure waist at your pant waistline (based on average height of 5'7"-5'11")**

*** Measure seat at fullest part of hip**

MFC-126	SIZE	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	42	44	46	48	50	52	54	56	58	60
WAIST MEASUREMENT RANGE	FOR SNUG FIT	27½	28½	29½	30½	31½	32½	33½	34½	35½	36½	38	39	40	41	42	43	45	47	49	51	53	55	57	59	61	63	65
	FOR RELAXED FIT	26	27	28	29	30	31	32	33	34	35	36½	37½	38½	39½	40½	41½	43	45	47	49	51	53	55	57	59	61	63
	MAX SEAT FOR GARMENT SIZE	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50½	52	53½	55	56½	58	59½	61	62½	64

*** Measure pant waist slightly below belly button or if wearing under midsection, measure waist at your pant waistline (based on average height of 5'7"-5'11")**
*** Measure seat at fullest part of hip**
*** If you are above 5'11" rise may hit slightly lower**
*** If you are below 5'7" rise may hit slightly higher**

MFC-127	SIZE	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	42	44	46	48	50	52	54	56	58	60
WAIST MEASUREMENT RANGE	FOR SNUG FIT	27½	28½	29½	30½	31½	32½	33½	34½	35½	36½	37½	38½	39½	40½	41½	42½	43½	45½	47½	49½	51½	53½	55½	57½	59½	61½	63½
	MAX SEAT FOR GARMENT SIZE	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50½	52	53½	55½	57	59	60½	62	63½	65
	FOR RELAXED FIT	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	44	46	48	50	52	54	56	58	60	62
	MAX SEAT FOR GARMENT SIZE	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50½	52	53½	55	57	58½	60½	62	63½	65

Pant Length: 5'3"-5'7" Short, 5'7-5-11" Regular, 5'11"- 6'3" Long
*** Measure pant waist slightly below belly button or if wearing under midsection, measure waist at your pant waistline**
*** Measure seat at fullest part of hip**

MFC-131	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL	
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68
Chest	34 ↓ 36	36 ↓ 38	38 ↓ 40	40 ↓ 42	42 ↓ 44	44 ↓ 46	46 ↓ 48	48 ↓ 50	52 ↓ 52	52 ↓ 54	54 ↓ 56	56 ↓ 58	58 ↓ 60	60 ↓ 62	62 ↓ 64	64 ↓ 66	66 ↓ 68	68 ↓ 70	70 ↓ 72	72 ↓ 74
Waist		35¾		39¾		43¾		47¾		51¾		55¾		59¾		63¾		67¾		71¾
Hip		36		40		44		48		52		56		60		64		68		72

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Tall:** 5'11"-6'3"

MFC-134	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Chest	30¾ ↓ 32¾	32¾ ↓ 34¾	34¾ ↓ 36¾	36¾ ↓ 38¾	38¾ ↓ 40¾	40¾ ↓ 42¾	42¾ ↓ 44¾	44¾ ↓ 46¾	46¾ ↓ 48¾	48¾ ↓ 50¾	50¾ ↓ 52¾	52¾ ↓ 54¾	54¾ ↓ 56¾	56¾ ↓ 58¾	58¾ ↓ 60¾	60¾ ↓ 62¾	62¾ ↓ 64¾	64¾ ↓ 66¾
Waist		36		40		44		48		52		56		59¾		64		68
Hip		37¾		41¾		45¾		49¾		53¾		57¾		60		65¾		69¾

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Tall:** 5'11"-6'3"

MFC-139	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Chest	32½ ↓ 34½	34½ ↓ 36½	36½ ↓ 38½	38½ ↓ 40½	40½ ↓ 42½	42½ ↓ 44½	44½ ↓ 46½	46½ ↓ 48½	48½ ↓ 50½	50½ ↓ 52½	52½ ↓ 54½	54½ ↓ 56½	56½ ↓ 58½	58½ ↓ 60½	60½ ↓ 62½	62½ ↓ 64½	64½ ↓ 66½	66½ ↓ 68½
Waist		34		38		42		46		50		54		58		62		66
Hip		36½		40½		44½		48½		52½		56½		60½		64½		68½

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Tall:** 5'11"-6'3"

MFC-143	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	13½	14½	15½	16½	17½	18½	19½	20½	21½	22½
Chest Max	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70	70 ↓ 74
Waist Max	37	41	46	50	55	59	63	67	71	75
Hip Max	40	44	48	52	56	60	64	68	72	76

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-144	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	14	15	16	17	18	19	20	21	22	23
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70
Waist Max	31	36	41	45	50	54	58	62	66	70
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-146	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	14	15	16	17	18	19	20	21	22	23
Chest Max	33 ↓ 37	37 ↓ 41	41 ↓ 45	45 ↓ 49	49 ↓ 53	53 ↓ 57	57 ↓ 61	61 ↓ 65	65 ↓ 69	69 ↓ 73
Waist Max	34	39	44	48	53	57	61	65	69	73
Hip Max	37	41	45	49	53	57	61	65	69	73

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-152	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	14	15	16	17	18	19	20	21	22	23
Chest Max	30 ↓ 35	35 ↓ 39	38 ↓ 43	43 ↓ 47	47 ↓ 51	51 ↓ 53	53 ↓ 57	57 ↓ 61	61 ↓ 63	63 ↓ 60
Waist Max	32	37	42	46	50	54	58	61	64	68
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-156	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	14	15	16	17	18	19	20	21	22	23
Chest Max	32 ↓ 36	36 ↓ 40	40 ↓ 44	44 ↓ 48	48 ↓ 52	52 ↓ 56	56 ↓ 60	60 ↓ 64	64 ↓ 68	68 ↓ 72
Waist Max	32	37	42	46	51	55	59	63	67	71
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-158	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	15	16	17	18	19	20	21	22	23	24
Chest Max	33 ↓ 37	37 ↓ 41	41 ↓ 45	45 ↓ 48	49 ↓ 53	53 ↓ 57	57 ↓ 61	61 ↓ 65	65 ↓ 69	69 ↓ 73
Waist Max	38	42	46	50	54	58	62	66	70	74
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-164	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	15	16	17	18	19	20	21	22	23	24
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70
Waist Max	36	40	44	48	52	56	60	64	68	72
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-179	2S		XS		SM		M		L		XL		2L		3L		4L		5L		6L		7L		8L	
	36		37		38		40		42		46		50		54		60		64		70		76		84	
Chest	36	37	37	38	38	39	39	41	41	43	43	47	47	51	51	55	55	61	61	65	65	71	71	77	77	85
Waist Max		39		40		41		42		45		49		53		57		63		67		73		79		91
Hip Max		41		42		43		43		47		51		55		59		65		69		75		81		93

Height: Extra Short: 5'1"-5'3" **Short:** 5'3"-5'7" **Regular:** 5'7"-5'9" **Long:** 5'9"-5'11" **X-Long:** 5'11"-6'1" **LN6:** 6'1"-6'3" **LN6:** 6'3"-6'7"

MFC-182	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL	9XL
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 53	53 ↓ 56	56 ↓ 59	59 ↓ 61	61 ↓ 65	65 ↓ 68	68 ↓ 71	71 ↓ 74
Waist Max	32	37	42	46	50	53	57	60	64	68	71	75	78
Hip Max	36	40	44	48	52	56	60	64	68	72	76	80	84

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-233	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL	9XL
Neck Max	15	16	17	18	19	20	21	22	23	24	25	26	27
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 53	53 ↓ 56	56 ↓ 59	59 ↓ 62	62 ↓ 65	65 ↓ 68	68 ↓ 71	71 ↓ 74
Waist Max	34	38	42	46	50	53½	57	60½	64	67½	71	74½	78
Hip Max	36	40	44	48	52	56	60	64	68	72	76	80	84

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-240	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL	9XL
Neck Max	14	15	16	17	18	19	20	21	22	23	24	25	26
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70	70 ↓ 74	74 ↓ 78	78 ↓ 82
Waist Max	30¾	35¼	39¾	44¼	48¾	52¾	56¾	60¾	64¾	68¾	72¾	76¾	80¾
Hip Max	35	39	43	47	51	55	59	63	67	71	75	79	83

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-244	XS		S		M		L	
Chest	38 ↓ 39	39 ↓ 40	40 ↓ 41	41 ↓ 42	42 ↓ 44	44 ↓ 46	46 ↓ 48	48 ↓ 50
Hip Max		37¾		39¾		43¾		47¾

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3"

MFC-245	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL	9XL
Neck Max	13½	14½	15½	16½	17½	18½	19½	20½	21½	22½	23½	24½	25½
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70	70 ↓ 74	74 ↓ 78	78 ↓ 82
Waist Max	30¾	35¼	39¾	44¼	48¾	52¾	56¾	60¾	64¾	68¾	72¾	76¾	80¾
Hip Max	35	39	43	47	51	55	59	63	67	71	75	79	83

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

MFC-246	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL	9XL
Neck Max	15	16	17	18	19	20	21	22	23	24	25	26	27
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70	70 ↓ 74	74 ↓ 78	78 ↓ 82
Waist Max	30¾	35¼	39¾	44¼	48¾	52¾	56¾	60¾	64¾	68¾	72¾	76¾	80¾
Hip Max	35	39	43	47	51	55	59	63	67	71	75	79	83

Height: Short: 5'3"-5'7" **Regular:** 5'7"-5'11" **Long:** 5'11"-6'3" **XLong:** 6'3"-6'7"

POLICY STANDARD TERMS & CONDITIONS OF SALE

Please refer to our website at www.bulwark.com for Standard Terms and Conditions of Sale, or call:

USA: 1-800-223-3372
Canada: 1-800-667-0700
Distributors: 1-800-733-5271

INVENTORY & CATALOG UPDATES

Not all sizes for a particular garment identified in this catalog are maintained in inventory. Upon receipt of your order, you will be provided an estimated shipping date.

PRODUCT RETURNS

For latest information, visit our website at www.bulwark.com. Prior authorization for returns may be obtained by calling Customer Care: USA: 1-800-223-3372 and Canada: 1-800-667-0700. For Distributors, call 1-800-733-5271.

PAYMENT TERMS

Refer to Standard Terms and Conditions of Sale.

CUSTOMIZATION

Bulwark® offers several options for customizing your garments from stock. See your Bulwark® Product Guide or inquire for details on pricing.

HEMMING

Refer to your Bulwark® Product Guide. For latest information visit our website at www.bulwark.com.

GARMENT CARE

Refer to the care label in your Bulwark® apparel. For latest information, visit our website at www.bulwark.com.

PRODUCT SPECIFICATIONS

All trademark and logos shown in this catalog are for the product illustration only and are not available to a customer, nor are they an endorsement by or for any person or other entity. At time of order, please provide the appropriate proof of authorization for your use of trademark's copyrights, patents and other intelleuctual property.

Bulwark garments are not intended for fire entry, structural or wildlands fire fighting activities and, unless otherwise indicated, provide no protection from chemical exposures. They should be removed at once if fouled with flammable material. To prevent generation of potentially hazardous static electricity, do not don or remove any garments in a hazardous area.

Bulwark® garments are not intended for personal, family or household use as defined in the Manguson-Moss Warranty Act, 15 U.S.C. 2301-2312. For latest information, visit our website at www.bulwark.com.

ARC RATINGS

Arc ratings published in this catalog are supplied to us by our fabric suppliers or are the result of our own arc testing. An arc rating can be reported in cal/cm^2 as either ATPV or E_{BT} and is the incident energy at which there is 50% probability of occurrence of a second degree burn or of fabric breakopen, respectively. As with all tests, some level of variation in test results is normal and expected among fabrics of identical fiber content and nominal weight. In order to assist end users with their hazard analysis by providing the most conservative arc rating, Bulwark® will publish the lowest arc rating for that fabric weight in our catalog and on our garment label.

Bulwark® garments are designed for continuous wear. They meet applicable standards such as NFPA® 2112, Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire, ASTM F2302, Standard Performance Specification for Labeling Protective Clothing Which Provides Resistance to Incidental Exposures to Heat or Open Flame, National Fire Protection Association (NFPA®) Standard 70E, Standard for Electrical Safety in the Workplace, ASTM F1506, Standard Performance Specification For Flame Resistant And Electric Arc Rated Protective Clothing Worn By Workers Exposed To Flames And Electric Arcs. Refer to individual garment labels to confirm compliance with specific performance standards. Because these fabrics are flame-resistant, they are acceptable under the Occupational Safety & Health Administration (OSHA) Final Rule 1910.269. Final Rule on Electrical Protective Equipment. For complete information on these products, as well as laundering instructions, please visit bulwark.com.

Bulwark®, EXCEL FR®, ComforTouch®, iQ Series®, and HoodShield™ are registered trademarks of Workwear Outfitters, LLC. Nomex®, and Kevlar® are registered trademarks of E.I. duPont de Nemours and Company. TenCate Evolv™ and TECASAFE® PLUS are trademarks of TenCate Protect bv. Lenzing FR® is a registered trademark of Lenzing® Aktiengesellschaft. Molten Metal ® is a registered trademark of Revlon Consumer Products Corporation. NFPA® is a registered trademark of National Fire Protection Association. UL is a registered trademark of UL, LLC. Westex G2™, ShieldCXP™ and Moda-Quilt® are registered trademarks of Milliken®. Insect Shield® is a registered trademark of Insect Shield LLC.

40 CAL KIT

BLC4NVB....161
CLC4NVB....161
DUF6RBB....161
FAC4BNB....161
HLC4NVB....161

ACCESSORIES

HEB2GY....158
HEB2NV....158
HLB6LD....159
HLH2GY....109
HLH2NV....109
HLH2OR....109
HLH2RB....109
HLH4BD....34, 114
HMC2BK....159
HNB4NA....158
HNH2NV....109
HNH2RB....109
HNL2NV....159
HNM2NV....159
VLVTOR....160
VMS4HV....48
VMV4HV....48, 160

BASE LAYERS

MPS4GY....77
MPS4KH....77
MPS8GY....77
MPS8KH....77

BIB OVERALLS

BLC8GY....93
BLC8NV....93
BLCSOR....91
BLCTNV....92
BLCTRB....92
BLF6BD....38, 90
BLF8BD....38, 90
BLF8NV....38, 90
BLFCRB....91
BLFXOR....91
BLN4BD....38, 92
BLN6BD....39, 93
BNF8NV....90
BNF8RBB....90
BNNTRB....92

COVERALLS

CEB2GY....95
CEB2RD....95
CEC2KH....102
CEC2NV....102
CEC2OR....102
CECTNV....102
CED2NV....101
CED2OR....101
CED2RB....101
CEH2NV....103
CEW2VG....103
CLB2KH....94
CLB2NV....94
CLB2RB....94
CLB3KH....153
CLB3NV....153
CLB3RBB....153
CLB6NV....96
CLB7KHB....153
CLB7NVB....153
CLB7RBB....153
CLBCNV....97
CLBCOR....97
CLBCRB....97
CLBDOR....96
CLC8NV....96
CLD4GY....100
CLD4KH....100
CLD4NV....100
CLD4RB....100
CMBCRB....97
CMD6KH....102
CMD6NV....102
CMD8HV....49, 101
CMP6NV....101
CNB2NV....94
CNB2RB....94
CNB2RD....94
CNB2TN....94
CNB3NV....152
CNB3ORB....152
CNB3RB....152
CNB3RD....152
CNB3TNB....152
CNB5NV....153
CNB5RB....153
CNB6NV....94
CNB6OR....94
CNB6RB....94
CNBCNV....98
CNBCRB....98
CNBCRD....98
CNR6NV....99
CNR6RB....99
CTBANV....98
CTBARB....98
CTBBOR....97

INSECT SHIELD

ISLSCH....55
PEJ8DI....56
PSJ4SI....56
QC20DI....57
QC21DI....57
QP14BI....56
QP14NI....56
QP15NI....56
QS50DI....54
QS51DI....54
QS52BI....54
QS52GI....54
QS52KI....54
QS53KI....55
SMK8HI....55

iQ SERIES®

QC20DG....23
QC20DI....57
QC20EV....24
QC20NE....24
QC20NV....23
QC21DG....23, 152
QC21DI....57
QC21NV....23, 152
QC22NE....27
QC22NV....27
QC22RB....27
QC22RD....27
QC22RE....27
QC23NV....27, 152
QC23RB....27, 152
QC23RD....27, 152
QC24NV....26
QC24RB....26
QC2XRB....24
QC3XRB....24, 151
QC4XOR....25
QC5XOR....25, 151
QC6XDG....25
QP10NV....31
QP11NV....31, 145
QP14BK....21
QP14BI....56
QP14NE....21
QP14NI....56
QP14NV....21
QP15NI....56
QP15NV....21, 145
QP16NV....18
QP16RB....18
QP16RD....18
QP17NV....18, 145
QP17RB....18, 145
QP17RD....18, 145
QP18NV....19
QP19NV....19, 144
QS23NV....13, 135
QS23RB....13, 135
QS24NV....13
QS24RB....13
QS25NV....16, 135
QS25RB....16, 135
QS26NE....16
QS26NV....16
QS26RB....16
QS26RE....16
QS27RD....15, 135
QS28RD....15
QS40GE....30
QS40GY....29
QS40KH....29
QS40LB....29
QS40NE....30
QS40NV....29
QS41GY....29, 136
QS41KH....29, 136
QS41NV....29, 136
QS50DG....14
QS50DI....54
QS50EV....13
QS50NE....13
QS50NV....14
QS51DG....14, 134
QS51DI....54
QS51NV....14, 134
QS52BI....54
QS52GI....54
QS52KH....14
QS52KI....54
QS52LB....14
QS52LG....14
QS53KH....15, 134
QS53KI....55
QT40CH....17
QT40KH....17

JACKET LINERS

LLL8NV....110
LLS8BD....34, 114
LNL8NV....110
LNS8NV....110
LML4GY....107

LAB COATS

KEL2LB....130
KEM2VG....128
KEM4VG....128
KEW2VG....128
KLL6NV....129
KNC2RB....129
KNC3RB....129, 150
KNL2NV....130
KNL2RB....130
KNL2RDB....130
KNL3RB....130, 150
KNR6RB....131
KNR7RB....131, 150

OUTERWEAR

JET2NV....106
JEL2NV....107
JLB6BD....35, 115
JLC6BD....35, 115
JLH4BD....37, 117
JLH6BD....36, 116
JLJ6NV....113
JLJTNV....111
JLJPOR....111
JLP7NV....155
JLP8GY....108
JLP8NV....108
JLPCNV....108
JLPCRB....108
JLPSOR....109
JLR8GY....112
JLR8NV....112
JLR8RBB....112
JMJ6HV....47, 111
JNJ6NV....112
JNJ6RB....112
JNJCRB....112
JNP2NV....108
JNP2RBB....108
JNPCRB....109
JNT2BKB....106
JNT2NV....106
VLS2BD....35, 115

PANTS & JEANS

PEJ2DD....83
PEJ3DW....149
PEJ4DW....83
PEJ6SW....80
PEJ8DI....56
PEJ8DW....82
PEJ8SW....82
PEJMSD....80
PEM2VG....87
PEW2CH....87
PEW2KH....87
PEW2NV....87
PEW2ORB....87
PEW2RBB....87
PEW2VG....87
PEW3KHB....146
PEW3NV....146
PLC2NV....85
PLJ6KH....39, 84
PLJ6NV....39, 84
PLJ8BD....39, 85
PLJ8NV....39, 85
PLW2NV....87
PLW2RBB....87
PLW3BKB....147
PLW3NVB....147
PMU2KH....86
PMU2NV....86
PMU3KH....146
PMU3NV....146
PMW2NV....86
PMW3NV....147
PNJ8RB....83
PNW2NV....86
PNW2RB....86
PNW3NVB....146
PNW3RBB....146
PSJ2SD....81
PSJ4SD....81
PSJ4SI....56
PSJ6SD....81
PSJCSD....148
PSJMSD....149
PSK1BK....143

RAINGEAR

BXN4YE....50, 126
BXN6YE....51, 127
JXN4YE....50, 126
JXN6YE....51, 127

SHIRTS

S1B2HG....42
S1W2HV....43
S1W3HV....138
SEG5KHB....137
SEG6LB....67
SEK2NV....74
SEL2CH....76
SEL2KH....76
SEL2LB....76
SEL2NV....76
SEL2OR....76
SEL3KHB....142
SEL3NV....142
SES2NVB....60
SES2RB....60
SES2TN....60
SET2CH....74
SET2NV....74
SET8CH....73
SET8NV....73
SEW2KH....68
SEW2LB....68
SEW2NV....68
SEW2SY....68
SLATOR....65
SLB4HG....43, 64
SLCSOR....65
SLDTGY....63
SLDTKH....63
SLDTLB....63
SLDTNV....63
SLP2KH....66
SLS2LB....69
SLS2NV....69
SLS3LBB....137
SLS3NV....137
SLU2GY....67
SLU2KH....67
SLU2LB....67
SLU2NV....67
SLU2RB....67
SLU2SY....67
SLU3KH....136
SLU3LB....136
SLU3NV....136
SLU3ORB....136
SLU3RBB....136
SLU3SYB....136
SLU8GY....62
SLU8KH....62
SLU8LB....62
SLU8NV....62
SLU8OR....62
SLUCNV....63
SLW2GY....67
SLW2KH....67
SLW2LB....67
SLW2NV....67
SLW2ORB....67
SLW2RBB....67
SMB2HN....44
SMK8HV....45
SMK8HI....55
SML2GY....75
SML2KH....75
SML2NV....75
SML4HV....44
SML8KH....75
SMP2GY....76
SMP2KH....76
SMP2NV....76
SMP8GY....76
SMP8NV....76
SMS2GY....68
SMS2LB....68
SMS2NV....68
SMS5LB....138
SMS5NV....138
SMS6LB....69
SMS6NV....69
SMT2GY....73
SMT2NV....73
SMT6KH....74
SMT6NV....74
SMT8KH....75
SMT8NV....75
SMU2KH....65
SMU2LB....65
SMU2NV....65
SMU4KH....61
SMUCNV....63
SMW3HVB....138
SMW4HV....43, 69
SND2GB....61
SND2NV....61
SND2RB....61
SND2TN....61
SND3NVB....136
SND3RBB....136
SND3TNB....136
SND6RB....61
SNS2LBB....60
SNS2NV....60
SNS2RB....60
SNS2RD....60
SNS2TN....60
SNS3NVB....137
SNS3RBB....137
SNS3TNB....137
SNS6NVB....60
SNS6RDB....60
SNS6RB....60
STG2BP....70
STG2CH....70
STG2NV....70
STG3CH....140
STG4CH....71
STG4KH....71
STG4NV....71
STG5CH....139
STG5KH....139
STG5NV....139
STL2BK....72
STL2CH....72
STL2KH....72
STL2LB....72
STL2NV....72
STL2RD....72
STL3KH....142
STL3NV....142
STP2CH....72
STP2KH....72
STP2NV....72
STP3NV....142
STT2BK....73
STT2CH....73
STT2KH....73
STT2LB....73
STT2NV....73
STT3BK....141
STT3CH....141
STT3KH....141
STT3LB....141
STT3NV....141
STT3RD....141
STT4OR....72
STT5OR....141
STZ3NV....141
SWW2SY....68

SOCKS

ISLSCH....55

SWEATSHIRTS

SEB4NV....120
SEC2NV....119
SEH4CH....119
SEH4NV....119
SEH8NV....119
SEZ2BK....118
SEZ2NV....118
SEZ3BK....155
SEZ3NV....155
SEZ4NV....120
SEZ6OR....118
SEZ7OR....155
SMB4HG....46, 124
SMH4HV....46, 125
SMM4NV....123
SMM5NV....154
SMM6NV....122
SMM7NV....154
SMZ2NV....122
SMZ4HV....46, 125
SMZ8NV....120
STZ2BK....121
STZ2NV....121



Bulwark® FR, a brand of Workwear Outfitters, LLC 25-7052